AUTHOR INDEX, VOLUME 15

Aby-Isa, I. A.: Iodine Treatment of Nylon: Effect on Metal Plating of the Polymer, 2865
Acierno, D., Dalton, J. N., Rodriguez, J. M., and White, J. L.: Rheological and Heat Transfer Aspects of the Melt Spinning of Monofilament Fibers of Polyethylene and Polystyrene, 2395
Ajroldi, G.: see Garbuglio, C.
Alaminov, H., and Proynova, Z.: Study of the Oligoester Maleinates Containing an Isocyanuric Ring by Infrared Spectroscopy, 937
Alvino, W. M.: Ultraviolet Stability of Polyimides and Polyamide–Imides, 2123
——: Aging Behavior of Polyarylsulfone Films, 2521
Ambrose, R. J.: Structure–Physical Property Relationships in Peroxide-Cured Butadiene–Styrene Copolymers, 1297
Anderson, W. S.: Light-Induced Cure of Epoxy Resins. Use of a Manganese Carbonyl as Photosensitizer, 2063
Arcesi, J. A., Rauner, F. J., and Williams, J. L. R.: Photoreactive Polymers. IV. The Synthesis and Characterization of Photocrosslinkable Polysulfonates, 513
Arnold, F. E. and Van Deusen, R. L.: Unusual Film-Forming Properties of Aromatic Heterocyclic Ladder Polymers, 2035
Arnts, R. R.: see Sperling, L. H.
Arthur, J. C., Jr.: see Mares, T.
——: see Nakamura, Y.
——: see Singh, S.
Atkinson, J. R.: see Faulkner, P. G.
Auerbach, I.: Decomposition Kinetics of a Phenolic-Carbon Composite. II. Rate Relationships, 91
Baer, A. D.: see Chong, J. S.
Baker, J. R.: A Simplified Method for Correction of Polydispersities From Gel Permeation Chromatography, 411
Baker, R. W.: see Strathmann, H.
Ballenger, T. F. and White, J. L.: The Development of the Velocity Field in Polymer Melts in a Reservoir Approaching a Capillary Die, 1949
Banbaji, J.: A Note on the Compressibility of Wool and its Relationship with Crimp, 2601
Banerjee, S.: see Manik, S. P.
Barlow, J. R.: see Reed, R.
Barney, A. L.: see Holmquist, H. E.
Barr, J. B. and Wallon, S. B.: The Chemistry of Furfuryl Alcohol Resins, 1079
Barrall, E. M., II: see Cooper, A. R.
Bell, H. F.: see Levine, S. L.
Bendak, A.: see Hebeish, A.
Benerito, R. R.: see Soignet, D. M.
Benschop-Hendrychova, I.: see Rudin, A.
Berni, R. J.: see Soignet, D. M.
Bertha, S. L. and Ikeda, R. M.: Film Formation from Polymer Dispersions, 105
Bertoniere, N. R., Franklin, W. E., and Rowland, S. P.: Photochemical Reactions of the Substituent Groups of Cotton Cinnamate Fabric, 1743
Bhatia, H. C.: see Varma, D. S.
Biesenberger, J. A., Tan, M., and Duvdevani, I.: Recycle Gel Permeation Chromatography. II. Analysis of Epoxy Resins, 1549
Blais, P., Carlsson, D. J., and Wiles, D. M.: Effects of Corona Treatment on Composite Formation. Adhesion between Incompatible Polymers, 129
Bonnefis, J. C. et Puig, J. R.: Greffage Radiochimique de l'Acide Acrylique sur les Fibres de Polyester, 553
Bose, J. L., Roberts, E. J., and Rowland, S. P.: The Availability of Hydroxyl Groups in Native and Mercerized Cotton Cellulose, 2999
Boustany, K.: see Coran, A. Y.
Boyer, R. F.: see Keskkula, H.
Braun, G.: GPC Calibration for Polymers of Unknown Composition and Structure Using a Real-Time Computer, 2321
Briggs, G. and Wood, N. F.: An Investigation of Mechanisms of Synergistic Interactions in PVC Stabilization, 25
Brody, H.: Intercrystalline Crosslinking of Polyethylene, 987
Brown, W.: see Phillips, R. B.
Bruzzone, A. R.: see Cooper, A. R.
Burleigh, J. E.: see Uraneck, C. A.
Burns, C. M.: see Hong, S.-D.
Burr, R. C.: see Fanta, G. F.
Butters, G. and Roberts, G.: Some Aspects of PVC Paste Rheology, 2357
Cain, J. H.: see Cooper, A. R.
Cais, M.: see Gal, A.
Campbell, D. S.: Structural Characterization of Vulcanizates. XII. Efficient Vulcanization Using a Sulfenamide–Thiuram Disulfide Accelerator System, 2661
Carignan, Y. P. and Turngren, E. V.: Deuterium Isotope Effect on the Refractive Index of Liquids and its Application to Permeation Chromatography, 1521
Carlsson, D. J.: see Blais, P.
Carradine, W. R., Jr., and Rase, H. F.: Effect of Surface Characteristics on Polymer Growth on Titanium Trichloride Catalyst, 889
Casiraghi, T.: see Garbuglio, C.

Catsiff, E. H.: Predicting Joint Sealant Performance of Elastomers by Computer Simulation. III. Simulation of Single- and Multi-Step Extension of a Stress-Relaxing Material, 1021
——: Poly(ethylene sulfide). IV. A Rheological Method for Determination of "Apparent Molecular Weight," 1641
Chakravorty, J. N.: Light Scattering Properties of Acacia Catechuic Acid. Effects of Urea and Temperature, 769
Chan, F. S.: A Moderately High Shear Viscometer for Measuring Low Specific Viscosities, 1703
Chen, S.-A.: Polymer Miscibility in Organic Solvents and in Plasticizers—A Two-Dimensional Approach, 1247
Chlanda, F. P. and Donaruma, L. G.: A Novel Method for Preparing Poly(alkyl Methacrylates) and Poly(methacrylic Acids) of Varing Tacticity, 1195
Chong, J. S., Christiansen, E. B., and Baer, A. D.: Flow of Viscous Fluid Through a Circular Aperture, 369
——, Christiansen, E. B., and Baer, A. D.: Rheology of Concentrated Suspensions, 2007
Christiansen, E. B.: see Chong, J. S.
Chung, C. I.: Compressibility of Polyethylene Melts at Low Pressures, 1277
Clough, S. B.: Melting of Drawn Polyethylene Films, 2141
Connors, H. J.: see Meier, J. F.
Consaga, J. P. and French, D. M.: Properties of Hydroxyl-Terminated Polybutadiene-Urethane Systems, 2941
Cooper, A. R., Bruzzone, A. R., Cain, J. H., and Barrall, E. M., II: Gel Permeation Chromatography: Physical Characterization and Chromatographic Properties of Corning Porous Glasses, 571
—— and Johnson, J. F.: Gel Permeation Chromatography: The Effect of Pore Size Distribution on Separation Efficiency, 2293
Coran, A. Y., Boustany, K., and Hamed, P.: Unidirectional Fiber–Polymer Composites: Swelling and Modulus Anisotropy, 2471
Cotter, J. L., Dickinson, H., Knight, G. J., and Wright, W. W.: The Thermal Degradation of Perfluoropolypyridine, 317
Cotter, R. J.: see Wagner, E. R.
Cozewith, C.: Calculation of Molecular Weight for Polymers Produced in Continuous-Flow Stirred Reactors, 2855
Crawford, J. E. and Gray, D. N.: Preparation and Properties of Some Poly(alpha-olefin Sulfones), 1881
Cuddihy, E. F.: Fatigue of Teflon Bladder Materials, 3101
Culbertson, B. M. and Randen, N. A.: Aminimides. XI. Modified Polystyrenes Containing Pendent Aminimide or Isocyanate Residues, 2609
Daigle, D. J.: see Vigo, T. L.
Dalton, J. N.: see Acierno, D.
Daniels, B. K.: Tensile Deformation of Nylon 66 Fibers at −196°C, 3109
Dealy, J. M.: see Peyser, Y.
Deguchi, S.: see Ide, F.
DeIasi, R. and Russell, J.: Aqueous Degradation of Polyimides, 2965
Desai, R. L.: see Nanassy, A. J.
Desreux, V.: see Jerome, R.
——: see Niezette, J.
DiBenedetto, A. T.: see Nicolais, L.
Dickinson, H.: see Cotter, J. L.
Dimov, A. D.: see Mladenov, I. T.
DiPietro, J.: see Stepniczka, H.
Doane, W. M.: see Fanta, G. F.
——: see Weaver, M. O.
Dombroski, J. R. and Donaruma, L. G.: Synthetic Biologically Active Polymers. VI. Sulfonamide- and Sulfone-Dimethylolurea Copolymers, 1219
Donaruma, L. G.: see Chlanda, F. P.
——: see Dombroski, J. R.
Doyle, G. M., Humphreys, R. E., and Russell, R. M.: The Influence of Chemical Structure on the Dynamic Properties of Sulfur-Vulcanized Carbon Black-Reinforced Natural Rubber, 1855
Ducháček, V.: Kinetics of Sulfur-Free Thiuram Vulcanization, 2079
Duffy, J. V.: Pyrolysis of Treated Rayon Fiber, 715
Duvdevani, I.: see Biesenberger, J. A.
Ebra-Lima, O. M.: see Paul, D. R.
Edgemond, J. W.: see Sinclair, J. E.
Eguchi, W.: see Nomura, M.
Elliott, J. H. and Stow, F. S., Jr.: Solutions of Drag-Reducing Polymers—Diameter Effect and Rheological Properties, 2743
El-Rafie, M. H.: see Hebeish, A.
——: see Kantouch, A.
Evans, J.: see Kim, C. Y.
Everage, A. E., Jr.: see Gordon, R. J.
Eyerer, P.: Reaktionsverlauf während der Härtung eines Epoxidharzes mit Dizyandiamid, 3067
Fanta, G. F., Burr, R. C., Russell, C. R. and Rist, C. E.: Graft Copolymers of Starch with Mineral Acid Salts of Dimethylaminoethyl Methacrylate. Preparation and Testing as Flocculating Agents, 1889
——, Burr, R. C., Doane, W. M., and Russell, C. R.: Influence of Starch Granule Swelling on Graft Copolymer Composition. A Comparison of Monomers, 2651
Faulkner, P. G. and Atkinson, J. R.: Crack Initiation in PVC for Subsequent Linear Elastic Fracture Mechanics Analysis, 209
Fellers, J. and Golovoy, A.: A Structure–Property Rationalization of Some Poly(carboxyl-Epoxy) Thermosets, 731
Ferlauto, E. C., Lindemann, M. K., Lucchesi, C. A., and Gaskill, D. R.: Pyrolysis of Poly(methyl Methacrylate *co* Ethyl Acrylate), 445
Fisher, D. H. and Rodriguez, F.: Degradation of Drag-Reducing Polymers, 2975

Fischer, Wm. H. and Lodge, J. P., Jr.: Particle Production by Polymer Pyrolysis: Effect of Carbon Monoxide, 2091
Franey, J.: see Progelhof, R. C.
Franklin, W. E.: see Bertoniere, N. R.
Freeguard, G. F. and Karmarkar, M.: The Production of Rubber-Modified Polystyrene. I. Rheological Behavior of the Polymerizing System, 1649
—— and Karmarkar, K.: The Production of Rubber-Modified Polystyrene. II. The Significance of Shear in the Phase Inversion, 1657
French, D. M.: see Consaga, J. P.
Fricke, A. L.: see Fuller, T. R.
——: see Jones, W. C., III
Fujiki, T.: Concept of Secondary Heterogeneous Structure of Long-Chain Branched Polyethylene, 47
Fujimura, S.: see Yoshikawa, T.
Fuller, T. R. and Fricke, A. L.: Thermal Conductivity of Polymer Melts,1729
Funt, B. L. and Hornof, V.: An Approach to a Simplified Universal Calibration for Gel Permeation Chromatography 2439
Furukawa, J. and Nishioka, A.: Mechanical Properties of Alternating Copolymers of Acrylonitrile and Butadiene, 1407
Gal, A., Cais, M., and Kohn, D. H.: Organometallic Polymers. II. Crosslinking of Ferrocenylene–Methylene-Type Polymers, 1571
Galeski, A.: see Kryszewski, M.
Galin, J. C.: Reactions de Sulfopropylation, Cyanoethylation et Greffage d'Acrylonitrile sur l'Alcool Polyvinylique et le Poly[ethylene Methylenebis-(4-phenyl Carbamate)], 213
Garbuglio, C., Ajroldi, G., Casiraghi, T., and Vittadini, G.: Relationships between Mechanical Properties and Relaxation Processes in Polymers. Nylon 6, 2487
Gaskill, D. R.: see Ferlauto, E. C.
Ghosh, K. and Mukherjee, S. K.: Hymatomelanic Acids as Polyelectrolytes. I. Viscometric and Osmometric Studies, 2073
Ghosh, K. K.: Light Scattering Studies on the Ripening of Viscose Solution, 537
Gibson, U. H. and Quick, Q.: The Determination of Adjacent Oxypropylene–Oxyethylene Units in Propylene Oxide–Ethylene Oxide Adducts by Infrared Spectroscopy, 2667
Goda, K., Tanaka, M., and Murata, N.: Inhibitory Action of Phenols and Amines in the Photo-Oxidation of Tetralin, 403
Golovoy, A.: see Fellers, J.
Gomyo, N.: see Katayama, S.
Gordon, R. J. and Everage, A. E., Jr.: Bead-Spring Model of Dilute Polymer Solutions: Continuum Modifications and an Explicit Constitutive Equation, 1903
Goring, D. A. I.: see Kim, C. Y.
Gray, D. N.: see Crawford, J. E.
Grebowicz, J.: see Kryszewski, M.
Gugliemelli, L. A.: see Weaver, M. O.
Guthrie, J. T., Huglin, M. B., and Phillips, G. O.: Isolation of Polystyrene Branches from Grafted Cellulose, 1033
Haas, T. W.: see Progelhof, R. C.
Hall, D. M., Nix, G. H., and Vachon, R. I.: Effect of Crimp on the Tensile and Compressive Properties of Polyester Fibers, 1539
Hamed, P.: see Coran, A. Y.
Hamielec, A. E.: see Ishige, T.
Han, C. D.: Rheology of Shaped Fiber Formation, 1091
——, Yu, T. C., and Kim, K. U.: Rheological Properties of Molten Polymers. I. Homopolymer Systems, 1149
—— and Yu, T. C.: Rheological Properties of Molten Polymers. II. Two-Phase Systems, 1163
——: Measurement of the Rheological Properties of Polymer Melts with Slit Rheometer. I. Homopolymer Systems, 2567
——: Measurement of the Rheological Properties of Polymer Melts with Slit Rheometer. II. Blend Systems, 2579
——: Measurement of the Rheological Properties of Polymer Melts with Slit Rheometer. III. Two-Phase Systems—High-Impact Polystyrene and ABS Resin, 2591
Harada, M.: see Nomura, M.
Hardy, G. F.: Fracture Toughness of Glass Fiber-Reinforced Acetal Polymer, 853
Harwood, H. J. and Harwood, H. J., Jr.: Structure of Copolymers Derived from Polymethacrolein by the Cannizzaro Reaction, 1545
Harwood, H. J., Jr.: see Harwood, H. J.
Hassan, A. M. and Ray, L. N., Jr: Characterization of Ethylene–Propylene Rubber and Ethylene–Propylene–Diene Rubber Networks, 145
—— and Ray, L. N., Jr.: Characterization of NBR Networks from Stress–Strain and Swelling Equilibrium Measurements, 1837
Hata, N. and Kumanotani, J.: Viscoelastic Properties of Epoxy Resin. I. Effect of Prepolymer Structure on Viscoelastic Properties, 2371
Head, F. S. H.: Crease Recovery and Cuprammonium Solubility of Some Crosslinked Cotton Fabrics, 463
——, Kantouch, A., and El-Rafie, M. H.: Graft Copolymerization of Vinyl Monomers with Modified Cotton. II. Grafting of Acrylonitrile and Methyl Methacrylate on Acetylated Cotton, 11
——, Kantouch, A., and El-Rafie, M. H.: Graft Copolymerization of Vinyl Monomers on Modified Cotton. IV. Ceric-Induced Grafting of Vinyl Monomers on Cellulose Bearing Different Substituents, 1921
——, Bendak, A., and Kantouch, A.: Grafting of Wool with Vinyl Monomers by Using Trichloroacetic Acid–Bis-

(Acetonylacetonato)Copper(II) co-catalyst, 2733
——: see Kantouch, A.
Hebert, J. J.: see Muller, L. L.
Heffelfinger, C. J. and Lippert, E. L., Jr.: X-Ray Low-Angle Scattering from Oriented Poly(ethylene Terephthalate) Films, 2699
Heidingsfeld, V., Zelinger, J., and Kuška, V.: The Secondary Relaxation Process of Poly(vinyl Chloride) and its Derivatives, 2447
Helliwell, R. W.: see Sinclair, J. E.
Hino, K.: see Kamagata, K.
Hinojosa, O.: see Mares, T.
——: see Nakamura, Y.
——: see Singh, S.
Hoge, K. G.: see Rinde, J. A.
——: see Wasley, R. J.
Holmquist, H. E., Proskow, S., and Barney, A. L.: Aromatic Rings as Cure Sites for EPM Elastomers, 2103
Hong, S.-D. and Burns, C. M.: Compatibility of Polystyrene and Poly(methyl Methacrylate) in Benzene. Effects of Molecular Weight and Temperature, 1995
Hoogervorst, C. J. P.: see Smit, J. A. M.
Hopfenberg, H. B.: see Nakagawa, T.
——: see Oraby, W.
Horikawa, H.: see Katayama, S.
Hornof, V.: see Funt, B. L.
Hsieh, H. L. and Wright, R. F.: Properties of Poly(Alkylene Oxide) Elastomers, 2417
——: Polymerization of Alkylene Oxides with Trialkylaluminum, Metal Acetylacetonates, and Water, 2425
Huang, R. Y. M.: see Kanitz, P. J. F.
Huang, Y. S. and Koenig, J. L.: Infrared Studies of Cryogenic Transitions in Poly(ethylene Terephthalate) and Polystyrene, 1237
Huglin, M. B.: see Guthrie, J. T.
Humphreys, R. E.: see Doyle, G. M.
Ibe, S.: see Satake, K.
Ide, F., Sasaki, I., and Deguchi, S.: Graft Polymerization of Some Vinyl Monomers onto Acrylic Rubber. I. Chain Transfer and Grafting Reaction, 1791
——, Sasaki, I., and Deguchi, S.: Graft Polymerization of Some Vinyl Monomers onto Acrylic Rubber. II. Mechanical Properties of Graft Polymers, 1809
Igeta, K.: see Ogiwara, Y.
Ingham, P. E.: The Pyrolysis of Wood and the Action of Flame Retardants, 3025
Ikeda, H.: see Minoura, Y.
Ikeda, R. M.: see Bertha, S. L.
Ikenberry, L. D.: see Yasuda, H.
Ino, S.: see Kobayashi, A.
Ishige, T., Lee, S.-I., and Hamielec, A. E.: Solution of Tung's Axial Dispersion Equation by Numerical Techniques, 1607
Ito, T.: see Katayama, S.
Iyengar, Y.: Factors in Rubber Compounds Affecting the Adhesion of Polyester Tire Cords, 267
Jackson, K. F.: see Kesting, R. E.
Jadrnicek, B. R., Stivala, S. S., and Reich, L.: Effect of Concentration of Atactic Polypropylene on its Rate of Autoxidation, 2677
——: see Stivala, S. S.
Jenkins, R. K. and Lister, J.: Cure Behavior of Some Resin–Glass Cloth Systems, 1335
Jerome, R. and Desreux, V.: The Preparation and Stability of Snake Cage Membranes, 199
Jewell, R. A.: Relative Thermophysical Properties of Some Polyimides, 1717
Johnson, E. L.: The Effects of Reaction Temperature and Hydrolysis on Polyamic Acids and Polyimides, 2825
Johnson, J. F.: see Cooper, A. R.
Jones, D. A. and Jordan, W. A.: Starch Graft Polymers. I. Graft Co- and Terpolymers of Starch with 2-Hydroxy-3-methacryloyloxypropyltrimethylammonium Chloride and Acrylamide: Preparation and Evaluation as Silica Depressants, 2461
Jones, W. C., III, and Fricke, A. L.: Optimization of the Filler Content of Filled Polyester Resin, 1109
Jordan, W. A.: see Jones, D. A.
Kagiya, T.: see Kawakami, W.
Kahle, G. R. and Moberly, C. W.: Vapor Phase Polymerization of Vinyl Chloride, 545
Kamagata, K., Kosaka, H., Hino, K., and Toyama, M.: On the Internal Structure of Pressure-Sensitive Adhesives, 483
Kamal, M. R.: see Peyser, Y.
Kambanis, S. M. and Vasishth, R. C.: NMR Studies of Urea–Formaldehyde Resins, 1911
Kammermeyer, K.: see Osburn, J. O.
Kanitz, P. J. F. and Huang, R. Y. M.: The Permeation of Gases through Modified Polymer Films. IV. Gas Permeability and Separation Characteristics of Graft Copolymers of Polyethylene and Teflon FEP Films, 67
Kantouch, A., Hebeish, A., and El-Rafie, M. H.: Graft Copolymerization of Vinyl Monomers on Modified Cottons. III. Grafting of Acrylonitrile and Methyl Methacrylate on Cyanoethylated Cotton by the Ceric Ion Method, 1007
——: see Hebeish, A.
Karmarkar, M.: see Freeguard, G. F.
Kasem, M. A., Richards, H. R., and Walker, C. C.: Preparation and Characterization of Phosphorus-Nitrogen Polymers for Flameproofing Cellulose. I. Polymers of THPC and Amines, 2237
Katayama, S., Horikawa, H., Ito, Y., Gomyo, N., and Obuchi, Y.: Synthesis of Alternating Polyamideurethans by Reacting Diisocyanates with N,N′-Di-(6-hydroxycaproyl)alkylenediamines

and N-Hydroxyalkyl-6-hydroxycaproamide, 775
Kato, K.: Formation of 2,4-Dinitrophenylhydrazone on Surface Zone of Polystyrene Film Irradiated by Ultraviolet Light. I. Effects on Formation of 2,4-Dinitrophenylhydrazone, 2115
Katsumura, T.: see Tada, K.
Kawakami, W., Wada, T., Watanabe, T., Machi, S. and Kagiya, T.: Effect of Fluid Motion on Radiation-Induced Polymerization of Ethylene in a Tubular Reactor, 1507
Kearney, J.: see Liepins, R.
Kemp, D. R.: see Paul, D. R.
Kenis, P. R.: Turbulent Flow Friction Reduction Effectiveness and Hydrodynamic Degradation of Polysaccharides and Synthetic Polymers, 607
Keskkula, H., Turley, S. G., and Boyer, R. F.: The Significance of the Rubber Damping Peak in Rubber-Modified Polymers, 351
Kesting, R. E., Jackson, K. F., and Newman, J. M.: Heat-Resistant Polymers Containing the Low Molecular Weight *Closo*-Carboranes. II. Thermal Behavior of Polycarboranesiloxane SiB-1 Elastomers from $C_2B_5H_7$, 1527
——, Jackson, K. F., and Newman, J. M.: Heat-Resistant Polymers Containing the Low Molecular Weight *closo*-Carboranes. III. The Preparation of Polycarboranesiloxane Polymers by Alcoholysis, 2645
Kim, C. Y. and Goring, D. A. I.: Surface Morphology of Polyethylene After Treatment in a Corona Discharge, 1357
——, Evans, J., and Goring, D. A. I.: Corona-Induced Autohesion of Polyethylene, 1365
Kim, K. U.: see Han, C. D.
Kim, Y. K.: see Spitsbergen, J. C.
Kimura, K.: see Yoshikawa, T.
Kirkham, M. C.: The Influence of Precure Dilation on the Stress–Strain Properties of Ethylene–Propylene Terpolymer Networks, 1099
Klein, E.: see Rawls, H. R.
Knight, G. J.: see Cotter, J. L.
Kobayashi, A. and Ohtani, N.: Strain Rate Dependency on Stress–Strain Relations of Polypropylene, 975
——, Ohtani, N., and Ino, S.: On Creep Test Loading for Soft Polymers, 3009
Kobayashi, Y.: see Nakayama, K.
Kober, A. E.: see Wisotsky, M. J.
Koenig, J. L.: see Huang, Y. S.
Kohn, D. H.: see Gal, A.
Kojima, H.: see Nomura, M.
Konishi, K., Yamaguchi, K., and Takehisa, M.: Radiation-Induced Sulfoxidation and Sulfochlorination of Powdery Polyethylene Produced by Radiation Process, 257
Kosaka, H.: see Kamagata, K.
Kraus, G.: Structure–Concentration Equivalence in Carbon Black Reinforcement of Elastomers. III. Application to Tensile Strength, 1679
Krozer, S.: Solubility Parameters and Some Structural Characteristics of Chorinated Poly(vinyl Chloride), 1769
—— and Schneier, B.: Correlation Between Some Solution and Mechanical Properties of Poly(vinyl Chloride) and Chlorinated Poly(vinyl Chloride), 1777
Kryszewski, M., Galeski, A., Pakula, T., Grebowicz, J., and Milczarek, P.: Supermolecular Structures in Blends of Polypropylene and Ethylene–Propylene Rubber, 1139
—— and Mucha, M.: Glass Transition Phenomenon in Vinylidene Chloride–Acrylonitrile Copolymers, 2687
Kubota, H. and Ogiwara, Y.: Effect of Wavelength Region on Photo-Induced Graft Copolymerization onto Cellulose, 2767
——: see Ogiwara, Y.
Kumanotani, J.: see Hata, N.
Kunst, B.: see Pilon, R.
Kusano, T., Suzuki, Y., and Murakami, K.: Chemorheological Study of Vulcanized Rubbers under Mechanical Stress, 2453
Kuška, V.: see Heidingsfeld, V.
Laine, R. and Osburn, J. O.: Permeability of Polyethylene Film to Organic Vapors, 327
——: see Osburn, J. O.
Lamaze, C. E. and Yasuda, H.: Ionic Reverse Osmosis Membranes of Grafted Polyethylene, 1665
——: see Yasuda, H.
Laszkiewicz, B.: Thermal Behavior of Poly(Vinyl Alcohol) Modified with Phosphorous Acid, 437
Lauzé, W. L.: see Spitsbergen, J. C.
Layden, G. K.: Determination of Melting of PAN–MMA Copolymer Fibers by Differential Thermal Analysis, 1283
——: Tensile Response of Polyacrylonitrile Fibers During Air Heating, 1709
Lederman, J. M.: The Prediction of the Tensile Properties of Flexible Foams, 693
Lee, S.-I.: see Ishige, T.
Leeder, J. D. and Wemyss, A. M.: A Technique for Stabilizing Polymeric Materials in an Annealed State, 507
Lenk, R. S.: The Preparation and Purification of Diphenylolpropane 4,4′-Dioxyacetic Acid (Bisacid A2), 311
——: Preparation and Purification of Bisacid A2 (2,2-Diphenolopropane 4,4-Dioxyacetic Acid). II, 1753
——: Bisacid A2 (2,2-Diphenylolpropane dioxyacetic acid) as a Constituent of Crosslinked Polyesters, 2211
Levine, S. L. and Bell, H. F.: The Application of Thermogravimetric Analysis to an Electrophoretically Deposited Polymer Coating, 1287
Liepins, R. and Kearney, J.: Thin Water Vapor Barriers for Paper, 1307

——and Yasuda, H.: Barrier Coatings on Cellulose Fiber Mat, 2957
Lindemann, M. K.: see Ferlauto, E. C.
Lippert, E. L., Jr.: see Heffelfinger, C. J.
Lipska, A. E. and McCasland, G. E.: The Synergistic Effect of Benzhydrylation and Iodination of the Flammability of Alpha-Cellulose, 419
Lister, J.: see Jenkins, R. K.
Little, R. C. and Wiegard, M.: The Flow of Very Dilute Polyox Solutions into a Region of Sudden Capillary Tube Enlargement, 1515
——: The Effect of Added Salt on the Flow of Highly Dilute Solutions of Poly(ethylene Oxide) Polymers, 3117
——: see Peyser, P.
Lodge, J. P., Jr.: see Fischer, Wm. H.
Loewrigkeit, P.: see Spitsbergen, J. C.
Lonsdale, H. K.: see Riley, R. L.
——: see Sachs, S. B.
Loughran, E. D.: see Wewerka, E. M.
Lucchesi, C. A.: see Ferlauto, E. C.
Lyons, C. R.: see Riley, R. L.
Machi, S.: see Kawakami, W.
Mack, C. H.: see Vigo, T. L.
Maclay, W. N.: The Mechanism of Extender Action by Potassium Persulfate in the Suspension Polymerization of Styrene, 867
Manik, S. P. and Banerjee, S.: Studies on Sulfur Vulcanization of Natural Rubber Accelerated with Diphenylguanidine both in Presence and Absence of Dicumyl Peroxide, 1341
Mares, T., Hinojosa, O., Nakamura, Y., and Arthur, J. C., Jr.: Cellulose Graft Copolymers. IV. Graft Copolymerization of Methacrylonitrile with γ-Irradiated Cellulose from DMSO–, Acetone–, and Methanol–Water Systems, 2349
Martin-Löf, S. and Söremark, Ch.: An Improved Dilatometer for Polymers Based on Beta-Particle Absorption, 1465
Matsuura, T. and Sourirajan, S.: Physicochemical Criteria for Reverse Osmosis Separation of Alcohols, Phenols, and Monocarboxylic Acids in Aqueous Solutions Using Porous Cellulose Acetate Membranes, 2905
Matsuyama, K.: see Nara, S.
Mavichak, V.: see Paul, D. R.
McCasland, G. E.: see Lipska, A. E.
Meier, J. F., and Minter, H. F., and Connors, H. J.: Molded Neoprene Liner Pads for the Poseidon Missile Launcher, 619
Meinecke, E. A.: see Schwaber, D. M.
Meyers, B. L.: see Ries, H. E., Jr.
Milczarek, P.: see Kryszewski, M.
Miller, G. W.: The Thermal Analyses of Polymers. V. Effects of Crosslinking and Hard Block Crystallinity on the Mechanical Behavior of Polyurethane Elastomers, 39
——: Thermal Analysis of Polymers. VIII. Dilatometric and Thermal Optical Behavior of Sulfur, 1985
——: Thermal Analyses of Polymers. VII. Calorimetric and Dilatometric Aspects of the Glass Transition, 2335
Mills, N. J.: Comments on "Viscosity of Polystyrene Near the Glass Transition," 255
——: The Rheology of Filled Polymers, 2791
Miltz, J.: see Ram, A.
Minoura, Y. and Ikeda, H.: Hydroboration of Diene Polymers, 2219
——: see Nakano, A.
——: see Yamaguchi, H.
Minter, H. F.: see Meier, J. F.
Mladenov, I. T. and Dimov, A. D.: A Possibility of Nitration of Elastomers in Solid State, 251
Moberly, C. W.: see Kahle, G. R.
Morris, C. E. M.: Adhesive Bonding of Polypropylene, 501
Mortimer, G. A.: The Effect of Short-Chain Branch Structure on the Properties of Low-Density Polyethylene, 1231
Mostovoy, S. and Ripling, E. J.: The Fracture Toughness and Stress Corrosion Cracking Characteristics of an Anhydride-Hardened Epoxy Adhesive, 641
——and Ripling, E. J.: Effect of Joint Geometry on the Toughness of Epoxy Adhesives, 661
Mucha, M.: see Kryszewski, M.
Mukherjee, S. K.: see Ghosh, K.
Muller, L. L., Hebert, J. J., and Rollins, M. L.: Electron-Microscope Investigation of Cerium–Cotton Cellulose Reactions, 1425
Murakami, K.: see Kusano, T.
Murata, N.: see Goda, K.
Nagata, S.: see Nomura, M.
Nakagawa, T., Hopfenberg, H. B., and Stannett, V.: Transport of Fixed Gases in Radiation-Stabilized Poly(Vinyl Chloride), 231
——, Hopfenberg, H. B., and Stannett, V.: Radiation Protection of Poly(Vinyl Chloride) by N-Methyl Dithiocarbamate Substitution, 747
Nakajima, N.: Fractionation of Linear Polyethylene with Gel Permeation Chromatography. IV, 3089
Nakamura, Y., Hinojosa, O., and Arthur, J. C., Jr.: Cellulose Graft Copolymers. III. Effects of Oxygen on Graft Copolymerization of Ethyl Acrylate with γ-Irradiated Cellulose, 391
——: see Mares, T.
Nakano, A. and Minoura, Y.: Degradadation of Polymers by High-Speed Stirring, 927
Nakayama, A.: see Wada, Y.
Nakayama, K., Okajima, S., and Kobayashi, Y.: Visible Dichroism of Polypropylene–Disperse Dye System at High Temperatures, 1453
Nanassy, A. J. and Desai, R. L.: ESR Studies on the Effect of Lignin and Gases on UV Photodegradation of Cellulose, 2245

Nara, S. and Matsuyama, K.: Studies on Adhesion of Allylic Resin. III. Rheological Treatment for the Adhesion of Diallyl Phthalate Resin, 477
Narkis, M.: Calculation of Stress–Strain Curves from Relaxation Data in the Rubbery Flow Region, 455
—— and Nicolais, L.: Stress–Strain Behavior of SAN/Glass Bend Composites Above the Glass Transition Temperature, 469
Needles, H. L.: The Graft Photopolymerization of Acrylates and Methacrylates on Wool in Dimethyl Sulfoxide, 2559
Newman, J. M.: see Kesting, R. E.
Nickerson, R. F.: Thickening of Poly(vinyl Alcohol) by Borate, 111
Nicolais, L. and DiBenedetto, A. T.: Failure Criteria for Polymeric Solids, 1585
——: see Narkis, M.
Nidick, E. J., Jr.: see Wasley, R. J.
Niezette, J. and Desreux, V.: An Automatic Dilatometer for Radiation Polymerizations, 1981
Nishida, N., Salladay, D. G., and White, J. L.: Molecular Weight Distribution and Rheological Properties of Polyisobutylene Solutions, 1181
Nishioka, A.: see Furukawa, J.
Nisizawa, M.: Environmental Stress Relaxation Studies of Polymers: Effect of Temperature on Polyethylene–Alcohol System, 829
Nix, G. H.: see Hall, D. M.
Nomura, M., Kojima, H., Harada, M. Eguchi, W., and Nagata, S.: Continuous Flow Operation in Emulsion Polymerization of Styrene, 675
Numata, Y.: see Tada, K.
Obuchi, Y.: see Katayama, S.
Ogiwara, Y., Igeta, K., and Kubota, H.: Studies on the Ability of Cellulosic Materials to Initiate Graft Copolymerization, 1119
—— and Kubota, H.: NMR Study of Water Adsorbed on Methyl Methacrylate-Grafted Cellulose, 3137
Ogiwara, Y.: see Kubota, H.
Ohishi, F.: A New Apparatus for Measuring Various Properties of Plastics Using C Specimens, 381
Ohtani, N.: see Kobayashi, A.
Ohya, H. and Sourirajan, S.: Determination of Concentration Changes on Membrane Surface as Function of Time During Evaporation of Reverse-Osmosis Film Casting Solutions, 705
Oikawa, E. and Tatsuishi, H.: Polymers Containing the *s*-Triazine Ring. II. Synthesis of Poly(*s*-triazinylenehydrazones), 913
Okajima, S.: see Nakayama, K.
Oraby, W., Hopfenberg, H. B., and Stannett, V.: Radiation Grafting of Vinyl Monomers Onto Wood Pulp Cellulose. Part I, 2987
Osburn, J. O., Kammermeyer, K., and Laine, R.: Vapor Permeabilities by Dynamic Sorption, 739
——: see Laine, R.
Osterhoudt, H. W.: Transport Properties of Eastman Cellulose Acetate Membranes: Influence of Diffusant Size and Shape on Permeability, 597
Pabst, P.: see Rätzsch, M.
Pakula, T.: see Kryszewski, M.
Papa, A. J. and Proops, W. R.: Cationic Copolymerization of 1,3-Dioxolanes and 1,3-Dioxanes with 3,4-Dihydro-2*H*-pyran-2-methyl(3,4-dihydro-2*H*-pyran-2-carboxylate). Nonfriable Pyranyl Foams, 3053
Paul, D. R., Mavichak, V., and Kemp, D. R.: Diffusion in Concentrated Polystyrene Solutions, 1553
—— and Ebra-Lima, O. M.: The Mechanism of Liquid Transport Through Swollen Polymer Membranes, 2199
Payne, A. R. and Whittaker, R. E.: Influence of Hysteresis on Tensile and Fatigue Failure in Rubbers, 1941
Penwell, R. C. and Porter, R. S.: Viscosity of Polystyrene Near the Glass Transition. Author's Addition, 1037
Peterlin, A. and Williams, J. L.: Influence of Compacting Pressure on the Permeability of Vectorized Membranes for Liquids, 1493
——: Vapor and Gas Permeability of Asymmetric Membranes, 2127
Peyser, P. and Little, R. C.: The Drag Reduction of Dilute Polymer Solutions as a Function of Solvent Power, Viscosity, and Temperature, 2623
Peyser, Y., Dealy, J. M., and Kamal, M. R.: Viscous Behavior of Some Liquid Rubber Resins, 1963
Phillips, G. O.: see Guthrie, J. T.
Phillips, R. B., Brown, W., and Stannett, V. T.: The Graft Copolymerization of Styrene and Lignin. I. Hydrochloric Acid Lignin, 2929
Pilon, R., Kunst, B., and Sourirajan, S.: Studies on the Development of Improved Reverse Osmosis Membranes from Cellulose Acetate–Acetone–Formamide Casting Solutions, 1317
Porter, R. S.: see Penwell, R. C.
Pringle, J. K.: see Sinclair, J. E.
Procter, A. R.: Reactions of Wood Components with Hydrogen Sulfide. VIII. Influence of Cation and Base Catalysts on the Reductive Thiolation Reaction at Cellulose-Reducing Endgroups, 1
Progelhof, R. C., Franey, J., and Haas, T. W.: Absorption Coefficient of Unpigmented Poly(methyl Methacrylate), Polystyrene, Polycarbonate, and Poly(4-methylpentene-1) Sheets, 1803
Proops, W. R.: see Papa, A. J.
Proskow, S.: see Holmquist, H. E.
Prosser, R. A.: Protection Against Intense Light. I. Discussion of the Usual Mechanisms of Energy Dissipation, 1041

Provder, T. and Rosen, E. M.: Comments on "An Analytical Solution to Tung's Axial Dispersion Equation. Applications in Gel Permeation Chromatography," 247
——: see Rosen, E. M.
Proynova, Z.: see Alaminov, H.
Puig, J. R.: see Bonnefis, J. C.
Quick, Q.: see Gibson, U. H.
Raff, R. A. V. and Subramanian, R. V.: Impervious Graphite by Radiation Polymerization of Acrylonitrile in Porous Graphite Followed by Thermal Cyclization, 1533
—— and Subramanian, R. V.: Effect of Gamma Radiation on the Adhesion of Metals of Epoxy Resin, 1535
Ram, A. and Miltz, J.: New Method for MWD Determination in Branched Polymers, 2639
Randen, N. A.: see Culbertson, B. M.
Rase, H. F.: see Carradine, W. R., Jr.
Rätzsch, M., Schade, H., and Pabst, P.: The Conversion of Ethylene–Vinyl Acetate Copolymers with Aluminum Alcoholates, 589
Rauner, F. J.: see Arcesi, J. A.
Rawls, H. R., Klein, E., and Vail, S. L.: The Relationship Between Polymer Elastic Properties and the Ability to Impart Improved Wrinkle Recovery to Cotton Fabric, 341
Ray, L. N., Jr.: see Hassan, A. M.
Ray, P. K.: Effect of Moisture on Crystallite Orientation in Cellulose Fibers, 1029
Reed, R. and Barlow, J. R.: The Size Analysis of Polymer Latices by Electron Microscopy Using Freeze-Etched Preparations, 1623
Reich, L.: see Jadrnicek, B. R.
——: see Stivala, S. S.
Richards, H. R.: see Kasem, M. A.
Ries, H. E., Jr., and Meyers, B. L.: Microelectrophoresis and Electron-Microscope Studies with Polymeric Flocculants, 2023
Riley, R. L., Lonsdale, H. K., and Lyons, C. R.: Composite Membranes for Seawater Desalination by Reverse Osmosis, 1257
Rinde, J. A. and Hoge, K. G.: Time and Temperature Dependence of the Mechanical Properties of Polystyrene Bead Foam, 1377
Ripling, E. J.: see Mostovoy, S.
Rist, C. E.: see Fanta, G. F.
Roberts, E. J.: see Bose, J. L.
Roberts, G.: see Butters, G.
Rodriguez, F.: see Fisher, D. H.
Rodriguez, J. M.: see Acierno, D.
Rollins, M. L.: see Muller, L. L.
Rosen, E. M. and Provder, T.: The Instrument Spreading Correction in GPC. III. The General Shape Function Using Singular Value Decomposition with a Nonlinear Calibration Curve, 1687
——: see Provder, T.
Rowland, S. P.: see Bertoniere, N. R.
——: see Bose, J. L.
Rudin, A. and Benschop-Hendrychova, I.: Measurement of Molecular Weight of Poly(vinyl Chloride), 2881
Russell, C. R.: see Fanta, G. F.
——: see Weaver, M. O.
Russell, J.: see DeIasi, R.
Russell, R. M.: see Doyle, G. M.
Ryan, F. W.: see Schonhorn, H.
Sachs, S. B. and Lonsdale, H. K.: Preparation and Properties of Poly(acrylic Acid) Composite Membranes, 797
Saeda, S., Yotsuyanagi, J., and Yamaguchi, K.: The Relation Between Melt Flow Properties and Molecular Weight of Polyethylene, 277
Salee, G.: Craze Relaxation: A Rapid and Simple Method for Glass Transition Temperature Determination in Amorphous Polymers, 2049
Salladay, D. G.: see Nishida, N.
Sarkar, R. K.: see Varma, D. S.
Sasaki, I.: see Ide, F.
Satake, K.: Change of Mixing State of Polybutadiene Rubber–Polyolefin Resin Blend by Remilling and Heat Treatment, 1819
——, Shinki, K., Teraoka, T., and Ibe, S.: Changes in Mixing States of Styrene–Butadiene Copolymer Rubber and General-Purpose Polystyrene Resin Mill Blend by Heat Treatment, 2775
——, Shinki, K., Teraoka, T., and Ibe, S.: Softening Phenomenon by Remilling of Styrene–Butadiene Copolymer Rubber–General-Purpose Polystyrene Resin Blend, 2807
Sato, T.: Adsorption of Polyamides and the Stability of Dispersion, 1053
Schade, H.: see Rätzsch, M.
Schael, G. W.: Refractometric Determination of the Stoichiometry of Reacting Polymer Systems, 2877
Scheible, P.: see Strathmann, H.
Schindler, A. T.: see Warburton, C. E., Jr.
Schneier, B.: see Krozer, S.
Schonhorn, H., Ryan, F. W., and Wang, T. T.: Effects of Symmetrical Bonding Defects on Tensile Shear Strength of Lap Joints Having Ductile Adhesives, 1069
Schrager, M.: A Graphic Procedure for Obtaining Average Molecular Weights from a Chromatogram, 83
Schwaber, D. M. and Meinecke, E. A.: Energy Absorption in Polymeric Foams. II. Prediction of Impact Behavior from Instron Data for Foams with Rate-Dependent Modulus, 2381
Sekhar, N. and Van der Hoff, B. M. E.: Cavity Formation on Elongation in Filled Elastomers, 169
Sengupta, M.: see Varma, T. D.
Shenouda, S. G. and Viswanathan, A.: Crystalline Character of Native and Chemically Treated Egyptian Cottons. I. Computation of Crystallinity, Disorder Parameter, Orientation Factor, and Spiral Angle, 2259

——: see Viswanathan, A.
Shinki, K.: see Satake, K.
Simpson, W. S.: Deposition of Acrylate Polymers in Wood Fibers, 967
Sinclair, J. E., Edgemond, J. W., Pringle, J. K., and Helliwell, R. W.: Diffraction Studies of Polyethylene and Polypropylene Creep Specimens, 759
Singh, S., Hinojosa, O., and Arthur, J. C., Jr.: ESR Study of Intramolecular Energy Transfer in the Radiolysis of Cellulose Thenoates, 1129
Smit, J. A. M., Hoogervorst, C. J. P., and Staverman, A. J.: Dispersion in Gel Permeation Chromatography. A Rapid Numerical Solution to Tung's Integral Equation, 1479
Soignet, D. M., Berni, R. J., and Benerito, R. R.: Cellulosates of Group IA Metals—Their Preparation and Reactivity with β-Chloroethyldiethylamine, 155
Söremark, Ch.: see Martin-Löf, S.
Sourirajan, S.: see Matsuura, T.
——: see Ohya, H.
——: see Pilon, R.
Sperling, L. H. and Arnts, R. R.: Simultaneous Interpenetrating Networks, 2317
Spitsbergen, J. C., Loewrigkeit, P., Kim, Y. K., and Lauzé, W. L.: Preparation and Properties of a Diaryl Sulfone-Containing Unsaturated Polyester, 1851
Stannett, V.: see Nakagawa, T.
——: see Oraby, W.
Stannett, V. T.: see Phillips, R. B.
Staverman, A. J.: see Smit, J. A. M.
Stepniczka, H. and DiPietro, J.: Flammability Characteristics of Cotton and Polyester Fibers, 2149
Stewart, C. W., Sr., and Verbanc, J. J.: The Effects of Varying the Polymer Composition on the Cut Growth Characteristics of E/P/1,4 HD Tire Treads, 949
Stivala, S. S., Jadrnicek, B. R., and Reich, L.: The Iron Salt-Catalyzed Autoxidation of Atactic Polypropylene, 2185
——: see Jadrnicek, B. R.
Stow, F. S., Jr.: see Elliott, J. H.
Strathmann, H., Scheible, P., and Baker, R. W.: A Rationale for the Preparation of Loeb-Sourirajan-Type Cellulose Acetate Membranes, 811
Subramanian, R. V.: see Raff, R. A. V.
Sufčák, M.: Effects of Monomer Impurities on the Emulsion Polymerization of Chloroprene and Properties of Polychloroprene. III. Effect of Divinylacetylene, 2539
——: Effects of Monomer Impurities on the Emulsion Polymerization of Chloroprene and Properties of Polychloroprene. IV. Effect of 1-Chloro-1,3-butadiene, 2547
——: Effects of Monomer Impurities on the Emulsion Polymerization of Chloroprene and Properties of Polychloroprene. V. Effect of 1,3-Dichloro-2-Butene, 2555
Suzuki, Y.: see Kusano, T.
Tada, K., Numata, Y., and Katsumura, T.: Modification of Butadiene Rubber with 1,3-Dipolar Cycloaddition Reaction. I. Preparation and Properties of the Modified Polybutadiene, 117
Takehisa, M.: see Konishi, K.
Tamura, M.: see Yoshikawa, T.
Tan, M.: see Biesenberger, J. A.
Tanaka, M.: see Goda, K.
Tatsuishi, H.: see Oikawa, E.
Teraoka, T.: see Satake, K.
Toyama, M.: see Kamagata, K.
Turley, S. G.: see Keskkula, H.
Turngren, E. V.: see Carignan, Y. P.
Uraneck, C. A. and Burleigh, J. E.: Modification of Emulsion Polymerization by Multiple Addition of Modifier, 1757
Ushimi, K.: see Yoshikawa, T.
Vachon, R. I.: see Hall, D. M.
Vail, S. L.: see Rawls, H. R.
Valentine, R. H.: see Wasley, R. J.
Van der Hoff, B. M. E.: see Sekhar, N.
Van Deusen, R. L.: see Arnold, F. E.
Varma, D. S. and Bhatia, H. C.: An X-Ray Study of Crystalline Orientation and Mechanical Properties of Swollen Cotton Fibers Using Cadoxen Solution as Swelling Agent, 1397
—— and Sarkar, R. K.: A Study of the Thermal Behavior of Graft Copolymers of Wool and Methyl Methacrylate, 2173
Varma, T. D. and Sengupta, M.: On the Single-Point Determination of Intrinsic Viscosity, 1599
Vasishth, R. C.: see Kambanis, S. M.
Verbanc, J. J.: see Stewart, C. W., Sr.
Vigo, T. L., Daigle, D. J., and Mack, C. H.: Thermal Behavior of Cellulose Imidates: Cellulose Trichloroacetimidate, 2051
Viswanathan, A. and Shenouda, S. G.: The Helical Structure of Cellulose I, 519
—— and Shenouda, S. G.: On the Hydrogen Bonds in the Helical Structure Proposed for Cellulose I, 2597
——: see Shenouda, S. G.
Vittadini, G.: see Garbuglio, C.
Wada, T.: see Kawakami, W.
Wada, Y. and Nakayama, A.: Necking of High-Density Polyethylene, 183
Wagner, E. R. and Cotter, R. J.: Ultrasonic Degradation of the Gel Phase in Impact Polystyrenes, 3043
Wales, M.: Compatibility of Plasticizers with Poly(Vinyl Chloride), 293
Walker, C. C.: see Kasem, M. A.
Wallon, S. B.: see Barr, J. B.
Walters, K. L.: see Wewerka, E. M.
Walther, E. G.: Aerosol Production from Heated Polymers, 2059
Wang, T. T.: see Schonhorn, H.
Warburton, C. E., Jr., and Schindler, A. T.: Morphology of Fabric Finishes Consisting of Acrylic Soil Release Polymers and Durable Press Reagents, 2749
Wasley, R. J., Nidick, E. J., Jr., Valentine, R. H., and Hoge, K. G.: Shock Pulse

Mitigation in Various Organic Foams, 2303
Watanabe, T.: see Kawakami, W.
Weaver, M. O., Gugliemelli, L. A., Doane, W. M., and Russell, C. R.: Hydrolyzed Starch-Polyacrylonitrile Graft Copolymers: Effect of Structure on Properties, 3015
Wemyss, A. M.: see Leeder, J. D.
Wewerka, E. M., Loughran, E. D., and Walters, K. L.: A Study of the Low Molecular Weight Components of Furfuryl Alcohol Polymers, 1437
White, J. L.: see Acierno, D.
——: see Ballenger, T. F.
——: see Nishida, N.
Whittaker, R. E.: The Mechanical Behavior of Microporous Polyurethane Foams, 1205
——: see Payne, A. R.
Wiegard, M.: see Little, R. C.
Wiles, D. M.: see Blais, P.
Williams, J. L. R.: see Arcesi, J. A.
Williams, J. L.: see Peterlin, A.
Wisotsky, M. J., Kober, A. E., and Zlochower, I. A.: Copolymerization of Ethylene with Vinyl Acetate. I. Effect of Polymerization Temperature on Degree of Branching, 1737
Wodley, F. A.: Pyrolysis Products of Untreated and Flame Retardant-Treated α-Cellulose and Levoglucosan, 835
Wood, N. F.: see Briggs, G.
Wright, R. F.: see Hsieh, H. L.
Wright, W. W.: see Cotter, J. L.
Yamaguchi, H. and Minoura, Y.: Asymmetric Oxidation of Poly(vinyl Sulfides) with Percamphoric Acid, *Aspergillus niger*, and *Penicillium notatum*, 1869
Yamaguchi, K.: see Konishi, K.
——: see Saeda, S.
Yasuda, H. and Lamaze, C. E.: Polymerization of Styrene in an Electrodeless Glow Discharge, 2277
—— and Ikenberry, L. D.: Permeabilities of Coagulated Cellulose Acetate Dialysis Membranes, 2841
——: see Lamaze, C. E.
——: see Liepins, R.
Yoshikawa, T., Ushimi, K., Kimura, K., and Tamura, M.: The Rapid Identification Method of Additives in Polypropylene by Mass Spectrometry, 2065
——, Kimura, K., and Fujimura, S.: The Gel Permeation Chromatography of Phenolic Compounds, 2513
Yotsuyanagi, J.: see Saeda, S.
Yu, T. C.: see Han, C. D.
Zelinger, J.: see Heidingsfeld, V.
Zeronian, S. H.: A Study of the Fine Structure of Cellulosic Fibers by Level-Off Degree of Polymerization Measurements, 955
Zlochower, I. A.: see Wisotsky, M. J.

SUBJECT INDEX, VOLUME 15

Absorption coefficient, of polymer sheets, 1803
Acacia catechuic acid, light scattering properties of, 769
Acrylate polymers, deposition in wood fibers, 967
Acrylonitrile, and butadiene, alternating copolymers, mechanical properties, 1407
Acrylonitrile–vinylidene chloride copolymers, glass transition phenomenon, 2687
Additives, in polypropylene, indentification of, 2065
Adducts, propylene oxide–ethylene oxide, 2667
Adhesion, studies of allylic resin, 477
Adhesive, anhydride-hardened epoxy, fracture toughness and corrosion cracking of, 641
Adhesive bonding, of polypropylene, 501
Adhesives, ductile, symmetrical bonding defects on, 1069
  epoxy, effect of joint geometry on toughness, 661
  pressure-sensitive, internal structure of, 483
l'Alcool polyvinylique, reactions sur, 213
Alkylene oxides, polymerization of, 2425
Allylic resin, adhesion studies, 477
Aminimides, 2609
Apparatus, new, for measuring polymer properties, 381
Autoxidation, iron salt-catalyzed, of atactic polypropylene, 2185
Autoxidation rate, of atactic polypropylene, 2677
Barrier coatings, on cellulose fiber mat, 2957
Bisacid A2, crosslinked polyester constituent, 2211
  preparation and purification, 311, 1753
Bladder, teflon, fatigue, 3101
Borate poly(vinyl alcohol) thickened by, 111
Branch structure, short-chain, effect on polyethylene, 1231
Butadiene, and acrylonitrile, alternating copolymer, mechanical properties, 1407
Butadiene–nitrile rubber networks, characterization, 1837
Butadiene rubber, modified, 117
Butadiene–styrene copolymer, peroxide-cured, 1297
Cadoxen solution, agent for swelling cotton fibers, 1397
Cannizzaro reaction, polymethacrolein copolymer structure by, 1545
Carbon black reinforcement, of elastomers, 1679
closo-Carboranes, contained in heat-resistant polymers, 1527, 2645
Cavity formation, in filled elastomers, 169
Cellulosates, of group IA metals, preparation and reactivity, 155
Cellulose, grafted, isolation of polystyrene branches from, 1033
  lignin and gases effect on UV photodegradation of, 2245
  methyl methacrylate-grafted, adsorbed water of, 3137
  phosphorus-nitrogen polymers for flameproofing, 2237
  photo-induced graft copolymerization, 2767
  alpha, pyrolysis product, 835
  wood pulp, grafting on of vinyl monomers, 2987
Cellulose I, helical structure of, 519
  hydrogen bonds in helical structure, 2597
Cellulose acetate dialysis membranes, coagulated, permeabilities, 2841
Cellulose acetate membranes, for reverse osmosis separation, 2905
  Loeb-Sourirajan-Type, 811
  transport properties, 597
Cellulose fiber mat, barrier coatings on, 2957
Cellulose fibers, moisture effect on crystallite orientation, 1029
α-Cellulose flammability, benzhydrylation and iodination synergistic effect on, 419
Cellulose graft copolymers, 391, 2349
Cellulose imidates, thermal behavior, 2051
Cellulose thenoates, ESR study of radiolysis of, 1129
Cellulosic fibers, study of fine structure, 955
Cellulosic materials, initiation of graft copolymerization, 1119
Cerium–cotton cellulose reactions, 1425
Chlorinated poly(vinyl chloride), and PVC, correlation of properties, 1777
  characteristics, 1769
Chloroprene, monomer impurities effects on emulsion polymerization, 2539, 2547, 2555
Chromatagram, average molecular weights obtained from, 83
Chromatography, gel permeation, 2293
Composite formation, corona treatment effects on, 129
Composites, fiber–polymer, 2471
Compressibility, of polyethylene melts, 1277
Conductivity, thermal, of polymer melts, 1729
Copolymer, butadiene–styrene, peroxide-cured, 1297

Copolymers, alternating, acrylonitrile and butadiene, mechanical properties, 1407
cellulose graft, 391
ethylene–vinyl acetate, conversion with aluminum alcoholates, 589
graft, of cellulose, 2349
graft, of starch, 1889
Copolymerization, graft, initiated by cellulosic materials, 1119
Copolymerization, photo-induced, onto cellulose, 2767
Corona discharge, surface morphology of polyethylene after, 1357
Corona-induced autohesion, of polyethylene, 1365
Corona treatment, effects on composite formation, 129
Cotton, modified, graft copolymerization with vinyl monomers, 11, 1007, 1921
Cotton cellulose, hydroxyl group availability, 2999
Cotton cellulose–cerium reactions, 1425
Cotton cinnamate fabric, substituent groups reactions, 1743
Cotton fabric, wrinkle recovery related polymer elastic properties, 341
Cotton fabrics, crosslinked, crease recovery and cuprammoniun solubility of, 463
Cotton fibers, flammability characteristics, 2149
swollen using Cadoxen solution, 1397
Cottons, Egyptian, crystalline character of, 2259
Crease recovery, of crosslinked cotton fabrics, 463
Creep specimens, polyethylene and polypropylene, diffraction studies, 759
Creep test loading, for soft polymers, 3009
Crosslinking, intercrystalline, of polyethylene, 987
Cryogenic transitions, in poly(ethylene terephthalate) and polystyrene, 1237
Crystalline character, of Egyptian cottons, 2259
Crystallite orientation, in cellulose fibers, moisture effect on, 1029
Cuprammonium solubility, of crosslinked cotton fabrics, 463
Cure, light-induced, of epoxy resins, 2063
Cure sites, for EPM elastomers, 2103
Decomposition kinetics, of a phenolic-carbon composite, 91
Degradation, aqueous, of polymers, 2965
gel phase of polystyrene, 3043
of drag-reducing polymers, 2975
of polymers, by high-speed stirring, 927
Desalination, of seawater, composite reverse-osmosis membranes for, 1267
Deuterium isotope, effect on GPC, 1521
Diaryl-sulfone-containing polyester, preparation and properties, 1851
Dichroism, visible, of polypropylene–disperse dye system, 1453
Diene polymers, hydroboration, 2219
Diffusion, in concentrated polystyrene solutions, 1553
Dilatometer, automatic, for radiation polymerizations, 1981
improved, for polymers, 1465
2,4-Dinitrophenylhydrazone, formation on polystyrene film, 2115
Drag-reducing polymers, solutions, 2743
Drag reduction, of dilute polymer solutions, 2623
Elastomers, carbon black reinforced, 1679
EPM, aromatic rings as cure sites, 2103
filled, cavity formation in, 169
joint sealant performance predicted, 1021
poly(alkylene oxide), properties, 2417
possible nitration in solid state, 251
Emulsion polymerization, modifier addition modification, 1757
Epoxidharzes, mit dizyandiamid, der Hartung, 3067
Epoxy adhesives, anhydride-hardened, fracture toughness and corrosion cracking of, 641
effect of joint geometry on toughness, 661
Epoxy resins, metal adhesion to, 1535
light-induced cure, 2063
viscoelastic properties, 2371
Ethylene, copolymerization with vinyl acetate, 1737
radiation-induced polymerization of, 1507
Ethylene oxide–propylene oxide, adducts, 2667
Ethylene–propylene rubber, and ethylene-propylene-diene rubber networks, characterized, 145
Ethylene–propylene terpolymer networks, stress–strain properties, 1099
Ethylene–vinyl acetate copolymers, conversion with aluminum alcoholates, 589
Fabric finishes, morphology, 2749
Failure criteria, for polymeric solids, 1585
Fiber formation, shaped, rheology of, 1091
Fiber–polymer composites, 2471
Film formation, from polymer dispersions, 105
Film-forming properties, of ladder polymers, 2035
Films, drawn polyethylene, melting of, 2141
oriented poly(ethylene terephthalate), X-ray scattering from, 2699
polyarylsulfone, aging behavior, 2521
Flame retardants, and pyrolysis of wood, 3025
Flammability, of alpha-cellulose, benzhydrylation and iodination synergistic effect on, 419
Flocculants, polymeric, studies of, 2023
Flow, of poly(ethylene oxide) polymer solutions, 3117
of viscous fluid through circular aperature, 369
Foam, polystyrene bead, mechanical properties, 1377
Foams, flexible, tensile properties of, 693
organic, shock pulse migration, 2303
polymeric, energy absorption, 2381

polyurethane microporous, mechanical behavior of, 1205
pyranyl, nonfriable, 3053
Fracture mechanics analysis, crack initiation in PVC for, 209
Furfuryl alcohol polymers, molecular weight components, 1437
Furfuryl alcohol resins, chemistry of, 1079
Gas permeation, through modified polymer films, 67
Gases, fixed, transported in radiation-stabilized PVC, 231
Gel permeation chromatography, 2293
calibration, by computer, for polymers of unknown composition, 2321
correction method for polydispersities from, 411
deuterium isotope effect on, 1521
dispersion in, 1479
fractionation of linear polyethylene, 3089
instrument spreading correction, 1687
of phenolic compounds, 2513
properties of Corning porous glass, 571
recycle, 1549
simplified universal calibration, 2439
Glass, porous, character and properties by gel permeation chromatography, 571
Glass cloth–resin systems, cure behavior, 1335
Glass transition temperature, for amorphous polymers, 2049
Graft copolymer composition, influence of starch granule swelling, 2651
Graphite, impervious from porous, 1533
Greffage, de l'acide acrylique sur polyester, 553
Helical structure, of cellulose I, 519, 2597
Hydrogen sulfide, wood components reaction with, 1
Hymatomelanic acids, as polyelectrolytes, 2073
Hysteresis, influence on failure in rubbers, 1941
Intrinsic viscosity, single-point determination, 1599
Isocyanuric ring, oligoester maleinates containing, 937
Latices, polymer, size analysis, 1623
Levoglucosan, pyrolysis product, 835
Light, intense, protection against, 1041
Light scattering properties, of acacia catehuic acid, 769
Light scattering studies, of viscose solution, 537
Lignin, graft copolymerization, 2929
Loeb-Sourirajan-Type cellulose acetate membranes, 811
Melt spinning, of polyethylene and polystyrene, 2395
Membranes, asymmetric, vapor and gas permeability, 2127
cellulose acetate, transport properties, 597
cellulose acetate, for reverse osmosis separation, 2905
coagulated cellulose acetate dialysis, permeabilities, 2841
composite reverse-osmosis, for desalination of seawater, 1267
Loeb-Sourirajan-Type cellulose acetate, 811
poly(acrylic acid) composite, preparation and properties of, 797
reverse osmosis, from cellulose acetate–acetone–formamide casting solutions, 1317
reverse osmosis, of grafted polyethylene, 1665
snake cage, preparation and stability of, 199
swollen polymer, liquid transport mechanism, 2199
vectorized, permeability for liquids, 1493
Membrane surface, concentration changes on, 705
Metals, adhesion to epoxy resin, 1535
of group IA, cellulosates of, 155
N-Methyl dithiocarbamate substitution, for radiation protection of PVC, 747
Methyl methacrylate, and wool, graft copolymers, thermal behavior study, 2173
Methyl methacrylate-grafted cellulose, adsorbed water of, 3137
Miscibility, of polymer, in organic solvents and plasticizers, 1247
Model, bead-spring, of polymer solutions, 1903
Molecular weight, "apparent," rheological determination, 1641
average, obtained from a chromatagram, 83
of polymers, 2855
of poly(vinyl chloride), 2881
Molecular weight components, of furfuryl alcohol polymers, 1437
Molecular weight determination, in branched polymers, 2639
Molecular weight distribution, of polyisobutylene solutions, 1181
Monomer impurities, 2539, 2547, 2555
Necking, of high-density polyethylene, 183
Neoprene liner pads, molded, for Poseidon missile launcher, 619
Networks, simultaneous interpenetrating, 2317
Nitration, of elastomers in solid state, 251
Nitrile–butadiene rubber networks, characterization, 1837
Nylon 66 fibers, tensile deformation, 3109
Oligoester maleinates, containing an isocyanuric ring, 937
Organic foams, shock pulse migration, 2303
Organic vapors, permeability of polyethylene film, 327
Organometallic polymers, 1571
Oxidation, asymmetric, of poly(vinyl sulfides), 1869
Pads, molded neoprene, for Poseidon missile launcher, 619
PAN–MMA copolymer films, melting, 1283
Paper, thin water vapor barriers for, 1307

Perfluoropolypyridine, thermal degradation of, 317
Permeability, of vectorized membranes for liquids, 1493
vapor, by dynamic sorption, 739
vapor and gas, of asymmetric membranes, 2127
Phenolic-carbon composite, decomposition kinetics of, 91
Phenolic compounds, GPC, 2513
Photodegradation, UV, of cellulose, effect of lignin and gases, 2245
Photo-oxidation, of tetralin, inhibited by phenols and amines, 403
Photopolymerization, graft, of acrylates and methyl methylacrylate onto wool, 2559
Photoreactive polymers, 513
Plasticizers, compatibility with PVC, 293
Poly(acrylic acid) composite membranes, preparation and properties, 797
Polyacrylonitrile fibers, tensile response during heating, 1709
Polyacrylonitrile–starch graft copolymers, hydrolyzed, 3015
Poly(alkylene oxide) elastomers, properties, 2417
Poly(alkyl methacrylates), method for preparing varying tacticity of, 1195
Poly(alpha-olefin sulfones), preparation and properties, 1881
Polyamic acids, temperature reaction and hydrolysis, 2825
Polyamide–imides, ultraviolet stability, 2123
Polyamides, adsorption and dispersion stability, 1053
Polyamideurethane, alternating, synthesis of, 775
Polyarylsulfone films, aging behavior, 2521
Polybutadiene rubber–polyolefin resin blend, change of mixing state, 1819
Polybutadiene–urethane systems, hydroxyl-terminated, 2941
Poly(carboxyl–epoxy) thermosets, structure–property relationship, 731
Polychloroprene, monomer impurities effect on properties, 2539, 2547, 2555
Polydispersities, from gel permeation chromatography, correction method for, 411
Polyelectrolytes, hymatomelanic acids, 2073
Polyester, crosslinked, Bisacid A2 as constituent of, 2211
diaryl sulfone-containing, preparation and properties, 1851
greffage de l'acide acrylique, 553
Polyester fibers, effect of crimp on, 1539
flammability characteristics, 2149
Polyester resin, filled, filler content optimization, 1109
Polyethylene, corona-induced autohesion, 1365
grafted, reverse osmosis membranes, 1665
high-density, necking of, 183
intercrystalline crosslinking of, 987
linear, fractionation of, 3089
long-chain branched, secondary heterogeneous structure of, 47
low-density, effect of short-chain branch structure, 1231
melt spinning, 2395
powdery, sulfoxidation and sulfochlorination, by radiation, 257
relation between melt flow properties and molecular weight, 277
surface morphology, 1357
Polyethylene films, drawn, melting of, 2141
permeability to organic vapors, 327
Polyethylene melts, compressibility, 1277
Poly[ethylene methylenebis(4-phenyl carbamate)], reaction sur, 213
Poly(ethylene oxide) polymer solutions, effect of added salt on flow, 3117
Poly(ethylene terephthalate), cryogenic transitions in, 1237
Poly(ethylene terephthalate) films, oriented, X-ray scattering from, 2699
Polyimides, reaction temperature and hydrolysis, 2825
thermophysical properties, 1717
ultraviolet stability, 2123
Polyisobutylene solutions, molecular weight and rheology, 1181
Polymer coating, electrophoretically deposited, 1287
Polymer dispersions, film formation from, 105
Polymer elastic properties, related to wrinkle recovery of cotton fabric, 341
Polymer–fiber composites, 2471
Polymer films, modified, permeation of gases through, 67
Polymer growth, on titanium trichloride catalyst, 889
Polymeric flocculants, studies of, 2023
Polymeric foams, energy absorption, 2381
Polymeric materials, stabilized in the annealed state, 507
Polymeric solids, failure criteria, 1585
Polymerization, electrodeless glow discharge, of styrene, 2277
emulsion, modification by addition of modifier, 1757
emulsion, of styrene, continuous flow operation in, 675
radiation, automatic dilatometer for, 1981
radiation-induced, of ethylene, 1507
vapor phase, of vinyl chloride, 545
Polymer latices, size analysis, 1623
Polymer melts, development of velocity field in, 1949
slit rheometer measurement of rheological properties, 2567, 2579, 2591
thermal conductivity, 1729
Polymer membranes, swollen, liquid transport mechanism, 2199
Polymer pyrolysis, particle production, 2091
Polymers, amorphous, determination of glass transition temperature, 2049
aqueous degradation, 2965

aromatic heterocyclic ladder, film-forming properties, 2035
branched, molecular weight distribution, 2639
degradation by high-speed stirring, 927
diene, hydroboration, 2219
drag-reducing, degradation of, 2975
drag-reducing, solutions of, 2743
filled, rheology of, 2791, 2807
graft, starch, 2461
heated, aerosol production from, 2059
heat-resistant, containing *closo*-carboranes, 1527, 2645
improved dilatometer for, 1465
mechanical properties and relaxation processes relationships, 2487
miscibility in organic solutions and plasticizers, 1247
molecular weight of, 2855
molten, rheological properties, 1149, 1163
organometallic, 1571
phosphorus-nitrogen, for flameproofing cellulose, 2237
photoreactive, 513
rubber-modified, significance of rubber damping peak, 351
soft, creep test loading for, 3009
stress, relaxation studies, 829
synthetic biologically active, 1219
synthetic, friction reduction effectiveness and degradation of, 607
thermal analyses of, 39, 1985, 2335
s-triazine ring containing, 913
Polymer sheets, absorption coefficients of, 1803
Polymer solutions, bead-spring model of, 1903
dilute, drag reduction of, 2623
Polymer systems, reacting, stoichiometry, 2865
Polymethacrolein, structure of copolymers, by Cannizzaro reaction, 1545
Poly(methacrylic acids), method for preparing varying tacticity of, 1195
Poly(methyl methacrylate), compatibility with polystyrene, 1995
Poly(methyl methacrylate *co* ethyl acrylate), pyrolysis of, 445
Polyolefin resin–polybutadiene rubber blend, change of mixing state, 1819
Polyox solution, flow of, 1515
Polypropylene, additions in, identification of, 2065
adhesive bonding of, 501
atactic, autoxidation, 2185, 2677
strain rate dependency, 975
Polypropylene–disperse dye system, visible dichroism of, 1453
Polysaccharides, friction reduction effectiveness and degradation of, 607
Polystyrene, compatibility with poly(methyl methacrylate), 995
cryogenic transition in, 1237
gel phase degradation, 3043
melt spinning, 2395
rubber-modified, production of, 1657
viscosity near glass transition, 253, 1037
Polystyrene bead foam, mechanical properties, 1377
Polystyrene branches, isolated from grafted cellulose, 1033
Polystyrene film, 2,4-dinitrophenylhydrazone, formation on, 2115
Polystyrene resin blend, and styrene–butadiene rubber, 2775, 2807
Polystyrene solutions, diffusion in, 1553
Polyurethane foams, microporous, mechanical behavior of, 1205
Poly(vinyl alcohol), phosphorous acid modified, thermal behavior of, 437
thickened by borate, 111
Poly(vinyl chloride), and chlorinated PVC, correlation of properties, 1777
and derivatives, secondary relaxation process, 2447
chlorinated, characteristics, 1769
compatibility of plasticizers with, 293
crack initiation for fracture analysis, 209
molecular weight of, 2881
radiation protection of, 747
radiation-stabilized, transport of fixed gases in, 231
paste rheology, 2357
synergistic interaction mechanisms in stabilization of, 25
Poly(vinyl sulfides), asymmetric oxidation of, 1869
Potassium persulfate, action in polymerization of styrene, 867
Propylene oxide–ethylene oxide adducts, determination adjacent oxypropylene–oxyethylene units, 2667
Protection, against intense light, 1041
Pyranyl foams, nonfriable, 3053
Pyrolysis, of poly(methyl methacrylate *co* ethyl acrylate), 445
of treated rayon fiber, 715
of wood and flame retardant action, 3025
polymer, particle production, 2091
Pyrolysis products, of α-cellulose and levoglucosan, 835
Radiolysis, of cellulose thenoates, ESR study, 1129
Rayon fiber, treated, pyrolysis of, 715
Recycle gel permeation chromatography, 1549
Resin, filled polyester, filler content optimization, 1109
Resin–glass cloth systems, cure behavior, 1335
Resins, furfuryl alcohol, chemistry of, 1079
Reverse osmosis membranes, improved, 1317
of grafted polyethylene, 1665
Reverse osmosis separation, using cellulose acetate membranes, 2905
Rheological determination, of "apparent molecular weight," 1641
Rheological properties, of molten polymers, 1149, 1163
of polyisobutylene solutions, 1181
Rheology, of concentrated suspensions, 2007
of filled polymers, 2791
of shaped fiber formation, 1091
paste, of PVC, 2357

Rubber, acrylic, graft copolymerization of vinyl monomers onto, 1791, 1809
butadiene, modified, 117
ethylene-propylene and ethylene-propylene-diene, characterized, 145
influence of hysteresis on failures in, 1941
natural, sulfur vulcanization of, 1341
propylene and ethylene–propylene blends, super molecular structures, 1139
styrene–butadiene, and polystyrene resin blend, 2775
sulfur-vulcanized carbon black-reinforced, dynamic properties, 1855
vulcanized, chemorheological study, 2453
Rubber damping peak, significance in rubber-modified polymers, 351
Rubber-modified polystyrene, production, 1657
Rubber resins, viscous behavior of, 1963
SAN/glass bead composites, stress–strain behavior of, 469
Slit rheometer, for measurement of polymer melts rheological properties, 2567, 2579, 2591
Snake cage membranes, preparation and stability, 199
Starch, graft copolymers of, 1889
Starch graft polymers, 2461
Starch granule swelling, influence on graft copolymer composition, 2651
Starch–polyacrylonitrile graft copolymers, hydrolyzed, 3015
Stoichiometry, of reacting polymer systems, 2865
Stress–strain curves, calculated from relaxation data of rubbery flow region, 455
Stress–strain behavior, of SAN/glass bead composites, 469
Styrene, emulsion polymerization of, 675
graft copolymerization, 2929
polymerization, 867, 2277
Sulfochlorination, radiation-induced, of powdery polyethylene, 257
Sulfoxidation, radiation-induced, of powdery polyethylene, 257
Suspensions, concentrated, rheology of, 2007
Synergistic interaction mechanisms, in PVC stabilization, 25
Synthetic biologically active polymers, 1219
Teflon bladder, fatigue, 3101
Tensile deformation, of nylon 66 fibers, 3109
Tensile properties, of flexible foams, 693
Tetralin, photo-oxidation inhibited by phenols and amines, 403
Thermal analyses, of polymers, 39, 1985, 2335
Thermal behavior, of poly(vinyl alcohol), phosphorous acid modified, 437
Thermal degradation, of perfluoro polypyridine, 317
Thermosets, poly(carboxyl–epoxy), structure–property relationship, 731
Thiuram, sulfur-free, kinetics of vulcanization, 2079
Tire treads, effect polymer composition on cut growth, 949
Titanium trichloride catalyst, polymer growth on, 889
s-Triazine ring, polymers containing, 913
Tung's axial dispersion equation, comments on, an analytic solution to, 247
solution by numerical techniques, 1607
Urethane–butadiene systems, hydroxyl-terminated, 2941
Vapor permeabilities, by dynamic sorption, 739
Velocity field, development in polymer melts, 1949
Vinyl acetate, copolymerization with ethylene, 1737
Vinyl chloride, vapor phase polymerization of, 545
Vinylidene chloride–acrylonitrile copolymers, glass transition phenomenon, 2687
Vinyl monomers, graft copolymerization with modified cotton, 11, 1007, 1921
graft polymerization onto acrylic rubber, 1791, 1809
grafted onto wood pulp cellulose, 2987
wool grafted with, 2733
Visoelastic properties, of epoxy resins, 2371
Viscometer, high shear, for measuring low specific viscosities, 1703
Viscous fluid, flow through circular aperture, 369
Viscous behavior, of liquid rubber resins, 1963
Viscose solution, light scattering studies of, 537
Viscosities, low specific, measured by high shear viscometer, 1703
Vulcanizates, ethylene–propylene terpolymer, stress–strain properties, 1099
structural characterization, 2661
Vulcanization, sulfur, of natural rubber, 1341
sulfur-free thiuram, kinetics of, 2079
Vulcanized rubbers, chemorheological study, 2453
Water vapor barriers, for paper, 1307
Wood, pyrolysis of, 3025
Wood components, reaction with hydrogen sulfide, 1
Wood fibers, acrylate polymer deposition in, 967
Wool, and methyl methacrylate, graft copolymers, thermal behavior study, 2173
graft photopolymerization of acrylates and methacrylates onto, 2559
grafting with vinyl monomers, 2733
Wool compressibility, relationship to crimp, 2601

Journal of Applied Polymer Science

Volume 15, 1971

Editorial Board: W. COOPER • H. MARK • M. MORTON
B. RANBY • P. WEISS

Advisory Board:

L. BATEMAN
Welwyn Garden City, Herts

R. F. BOYER
Midland, Mich.

H. W. COOVER, JR.
Kingsport, Tenn.

J. DILLON
Princeton, N. J.

R. H. EWART
Wayne, N. J.

F. C. FOSTER
Clifton, N. J.

H. P. FRANK
Linz

N. G. GAYLORD
Newark, N. J.

H. S. KAUFMAN
Teaneck, N. J.

H. KRAESSIG
Zurich

J. LE BRAS
Paris

M. LETORT
Paris

D. J. METZ
Upton, N. Y.

S. MORIMOTO
Osaka

D. MUTTON
Hawkesbury, Ontario

F. PATAT
Munich

W. J. SPARKS
Linden, N. J.

H. L. WILLIAMS
Sarnia, Ontario

E. L. WITTBECKER
Wilmington, Del.

N. WOODING
Coventry

INTERSCIENCE PUBLISHERS

Copyright © 1971, by John Wiley & Sons, Inc.

Statement of ownership, management, and circulation (Act of August 12, 1970: Section 3685, Title 39, United States Code)

1. Date of filing: October 22, 1971

2. Title of publication: Journal of Applied Polymer Science

3. Frequency of issue: Monthly

4. Location of known office of publication: Mack Printing Co., Inc., 20th and Northampton Streets, Easton, Pennsylvania 18042

5. Location of headquarters of general business offices of publisher: 605 Third Avenue, New York, N. Y. 10016

6. Names and addresses of publisher, editor, and managing editor:
Publishers: John Wiley & Sons, Inc., 605 Third Avenue, New York, N. Y. 10016
Editor: Dr. H. Mark, Polytechnic Institute of Brooklyn, 333 Jay Street, Brooklyn, N. Y. 11201. Dr. Maurice Morton, Institute of Rubber Research, The University of Akron, Akron, Ohio; Dr. B. Ranby, Royal Institute of Technology, Department of Polymer Technology, Stockholm 70, Sweden; Dr. W. Cooper, Dunlop Research Center, Kingsbury Road, Erdington, Birmingham, England; Dr. Philip Weiss, Polymers Department, Research Laboratories, General Motors Corporation, Warren, Michigan 48090
Managing Editor: None

7. Owner: John Wiley & Sons, Inc., 605 Third Avenue, New York, N. Y. 10016

The following is a list of stockholders owning or holding 1% or more of John Wiley & Sons, Inc. stock as of September 24, 1971:
Cynthia W. Darby, Box 651, Bridgehampton, New York 11932; John P. Gilbert, exec. of estate of Julia Wiley Gilbert, c/o Wells Fargo Bank, Trust Division 37165, P.O. Box 3820, San Francisco, California 94120; Edward P. Hamilton, 605 Third Avenue, New York, New York 10016; W. Bradford Wiley & Francis Lobdell, Trustees, Elizabeth W. Hamilton Trust, 605 Third Avenue, New York, New York 10016; Edward P. Hamilton, Trustee under will of Elizabeth Wiley Hamilton, c/o Gifford, Woody, Carter & Hays, 1 Wall Street, New York, New York 10005; I. M. Kolthoff, University of Minnesota, School of Chemistry, Minneapolis, Minnesota; Eric S. Proskauer & Charles H. Lieb, Trustees, u/a by Jenny R. Proskauer, 220 Central Park South, New York, New York 10019; Francis Lobdell & William J. Seawright, Trustees, f/b/o Deborah Elizabeth Wiley, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York; Cynthia W. Darby & Julia Gilbert, Trustees, under will of Kate R. Q. Wiley, c/o Gifford, Woody, Carter & Hays, 1 Wall Street, New York, New York; Francis Lobdell & William J. Seawright, Trustees, f/b/o Peter Booth Wiley, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York; Francis Lobdell & William J. Seawright, Trustees, f/b/o William Bradford Wiley II, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York; Edward P. Hamilton & Cynthia Wiley Darby, Trustees under will of William O. Wiley, c/o Gifford, Woody, Carter & Hays, 1 Wall Street, New York, New York; Adele E. Windheim, 8 Dundee Road, Larchmont, New York; Cudd & Company, 1 Chase Manhattan Plaza, New York, New York; Dif & Company, P. O. Box 1447, 135 Devonshire Street, Boston, Massachusetts; W. Bradford Wiley & E. P. Hamilton, Trustees for Edward P. Hamilton Foundation, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, New York; Pitt & Company, P. O. Box 2444, Church Street Station, New York, New York; Reing & Company, P. O. Box 491, Church Street Station, New York, New York; Shaw & Company, P. O. Box 491, Church Street Station, New York, New York 10015; Sigler & Company, c/o Manufacturers Hanover Trust Company, New York, New York 10015; Trussal & Company, National Bank of Detroit, c/o Trust Department, Detroit, Michigan; Front & Co., Brown Brothers Harriman, 10 P. O. Square, Boston, Massachusetts 02109; Lane & Co., Southern California First National Bank, c/o Trust Department, San Diego, California 92112; Pendiv & Co., Bankers Trust Company, 16 Wall Street, New York, New York 10005

8. Known bondholders, mortgagees, and other security holders owning or holding 1 per cent or more of total amount of bonds, mortgages, or other securities: None

9. Not applicable.

10. Not applicable.

11. Extent and nature of circulation

		Average no. of copies each issue during preceding 12 months	Actual no. of copies of single issue published nearest to filing date
A.	Total No. Copies Printed (*Net Press Run*)	2600	2600
B.	Paid Circulation		
	1. Sales through Dealers and Carriers, Street Vendors and Counter Sales	—	—
	2. Mail Subscriptions	2108	2108
C.	Total Paid Circulation	2108	2108
D.	Free Distribution (*Including samples*) by Mail, Carrier or Other Means		
	1. Samples, complimentary, and other free copies	40	40
	2. Copies distributed to news agents but not sold	—	—
E.	Total Distribution (*Sum of C and D*)	2148	2148
F.	Office Use, Left-over, Unaccounted, Spoiled after Printing	452	452
G.	Total (*Sum of E & F—should equal net press run shown in A*)	2600	2600

I certify that the statements made by me (*Signature of editor, business manager, or owner*) above are correct and complete.

CHARLES B. STOLL

CONTENTS

Vol. 15, Issue Nos. 1–12

Journal of Applied Polymer Science

ISSUE NO. 1, JANUARY

A. R. PROCTOR: Reactions of Wood Components with Hydrogen Sulfide. VIII. Influence of Cation and Base Catalysts on the Reductive Thiolation Reaction at Cellulose-Reducing End-groups 1

A. HEBEISH, A. KANTOUCH, and M. H. EL-RAFIE: Graft Copolymerization of Vinyl Monomers with Modified Cotton. II. Grafting of Acrylonitrile and Methyl Methacrylate on Acetylated Cotton 11

G. BRIGGS and N. F. WOOD: An Investigation of Mechanisms of Synergistic Interactions in PVC Stabilization 25

G. W. MILLER: The Thermal Analyses of Polymers. V. Effects of Crosslinking and Hard Block Crystallinity on the Mechanical Behavior of Polyurethane Elastomers 39

T. FUJIKI: Concept of Secondary Heterogeneous Structure of Long-Chain Branched Polyethylene 47

P. J. F. KANITZ and R. Y. M. HUANG: The Permeation of Gases through Modified Polymer Films. IV. Gas Permeability and Separation Characteristics of Graft Copolymers of Polyethylene and Teflon FEP Films 67

M. SCHRAGER: A Graphic Procedure for Obtaining Average Molecular Weights from a Chromatogram 83

I. AUERBACH: Decomposition Kinetics of a Phenolic-Carbon Composite. II. Rate Relationships 91

S. L. BERTHA and R. M. IKEDA: Film Formation from Polymer Dispersions 105

R. F. NICKERSON: Thickening of Poly(vinyl Alcohol) by Borate 111

K. TADA, Y. NUMATA, and T. KATSUMURA: Modification of Butadiene Rubber with 1,3-Dipolar Cycloaddition Reaction. I. Preparation and Properties of the Modified Polybutadiene 117

P. BLAIS, D. J. CARLSSON, and D. M. WILES: Effects of Corona Treatment on Composite Formation. Adhesion Between Incompatible Polymers 129

A. M. Hassan and L. N. Ray, Jr.: Characterization of Ethylene–Propylene Rubber and Ethylene–Propylene–Diene Rubber Networks 145
D. M. Soignet, R. J. Berni, and R. R. Benerito: Cellulosates of Group IA Metals—Their Preparation and Reactivity with β-Chloroethyldiethylamine 155
N. Sekhar and B. M. E. Van der Hoff: Cavity Formation on Elongation in Filled Elastomers 169
Y. Wada and A. Nakayama: Necking of High-Density Polyethylene 183
R. Jerome and V. Desreux: The Preparation and Stability of Snake Cage Membranes 199
P. G. Faulkner and J. R. Atkinson: Crack Initiation in PVC for Subsequent Linear Elastic Fracture Mechanics Analysis ... 209
J. C. Galin: Reactions de Sulfopropylation, Cyanoethylation et Greffage d'Acrylonitrile sur l'Alcool Polyvinylique et le Poly-[ethylene Methylenebis(4-phenyl Carbamate)] 213
T. Nakagawa, H. B. Hopfenberg, and V. Stannett: Transport of Fixed Gases in Radiation-Stabilized Poly(Vinyl Chloride) 231

Notes

T. Provder and E. M. Rosen: Comments on "An Analytical Solution to Tung's Axial Dispersion Equation. Applications in Gel Permeation Chromatography" 247
I. T. Mladenov and A. D. Dimov: A Possibility of Nitration of Elastomers in Solid State 251
N. J. Mills: Comments on "Viscosity of Polystyrene Near the Glass Transition" 253
Announcement 255

Issue No. 2, February

K. Konishi, K. Yamaguchi, and M. Takehisa: Radiation-Induced Sulfoxidation and Sulfochlorination of Powdery Polyethylene Produced by Radiation Process 257
Y. Iyengar: Factors in Rubber Compounds Affecting the Adhesion of Polyester Tire Cords 267
S. Saeda, J. Yotsuyanagi, and K. Yamaguchi: The Relation Between Melt Flow Properties and Molecular Weight of Polyethylene 277
M. Wales: Compatibility of Plasticizers with Poly(Vinyl Chloride) 293
R. S. Lenk: The Preparation and Purification of Diphenylolpropane 4,4′-Dioxyacetic acid (Bisacid A2) 311
J. L. Cotter, H. Dickinson, G. J. Knight, and W. W. Wright: The Thermal Degradation of Perfluoropolypyridine 317
R. Laine and J. O. Osburn: Permeability of Polyethylene Film to to Organic Vapors 327

H. R. Rawls, E. Klein, and S. L. Vail: The Relationship Between Polymer Elastic Properties and the Ability to Impart Improved Wrinkle Recovery to Cotton Fabric 341
H. Keskkula, S. G. Turley, and R. F. Boyer: The Significance of the Rubber Damping Peak in Rubber-Modified Polymers ... 351
J. S. Chong, E. B. Christiansen, and A. D. Baer: Flow of Viscous Fluid Through a Circular Aperture 369
F. Ohishi: A New Apparatus for Measuring Various Properties of Plastics Using C Specimens 381
Y. Nakamura, O. Hinojosa, and J. C. Arthur, Jr.: Cellulose Graft Copolymers. III. Effects of Oxygen on Graft Copolymerization of Ethyl Acrylate with γ-Irradiated Cellulose .. 391
K. Goda, M. Tanaka, and N. Murata: Inhibitory Action of Phenols and Amines in the Photo-Oxidation of Tetralin 403
J. R. Baker: A Simplified Method for Correction of Polydispersities From Gel Permeation Chromatography 411
A. E. Lipska and G. E. McCasland: The Synergistic Effect of Benzhydrylation and Iodination of the Flammability of Alpha-Cellulose 419
B. Laszkiewicz: Thermal Behavior of Poly(Vinyl Alcohol) Modified with Phosphorous Acid 437
E. C. Ferlauto, M. K. Lindemann, C. A. Lucchesi, and D. R. Gaskill: Pyrolysis of Poly(methyl Methacrylate *co* Ethyl Acrylate) 445
M. Narkis: Calculation of Stress–Strain Curves from Relaxation Data in the Rubbery Flow Region 455
F. S. H. Head: Crease Recovery and Cuprammonium Solubility of Some Crosslinked Cotton Fabrics 463
M. Narkis and L. Nicolais: Stress–Strain Behavior of SAN/Glass Bead Composites Above the Glass Transition Temperature 469
S. Nara and K. Matsuyama: Studies on Adhesion of Allylic Resin. III. Rheological Treatment for the Adhesion of Diallyl Phthalate Resin 477
K. Kamagata, H. Kosaka, K. Hino, and M. Toyama: On the Internal Structure of Pressure-Sensitive Adhesives 483

Notes

C. E. M. Morris: Adhesive Bonding of Polypropylene 501
J. D. Leeder and A. M. Wemyss: A Technique for Stabilizing Polymeric Materials in an Annealed State 507
Erratum 511

Issue No. 3, March

J. A. Arcesi, F. J. Rauner, and J. L. R. Williams: Photoreactive Polymers. IV. The Synthesis and Characterization of Photocrosslinkable Polysulfonates 513

A. Viswanathan and S. G. Shenouda: The Helical Structure of Cellulose I 519
K. K. Ghosh: Light Scattering Studies on the Ripening of Viscose Solution 537
G. R. Kahle and C. W. Moberly: Vapor Phase Polymerization of Vinyl Chloride 545
J. C. Bonnefis et J. R. Puig: Greffage Radiochimique de l'Acide Acrylique sur les Fibres de Polyester 553
A. R. Cooper, A. R. Bruzzone, J. H. Cain, and E. M. Barrall II: Gel Permeation Chromatography: Physical Characterization and Chromatographic Properties of Corning Porous Glasses 571
M. Rätzsch, H. Schade, and P. Pabst: The Conversion of Ethylene–Vinyl Acetate Copolymers with Aluminum Alcoholates ... 589
H. W. Osterhoudt: Transport Properties of Eastman Cellulose Acetate Membranes: Influence of Diffusant Size and Shape on Permeability 597
P. R. Kenis: Turbulent Flow Friction Reduction Effectiveness and Hydrodynamic Degradation of Polysaccharides and Synthetic Polymers 607
J. F. Meier, H. F. Minter, and H. J. Connors: Molded Neoprene Liner Pads for the Poseidon Missile Launcher 619
S. Mostovoy and E. J. Ripling: The Fracture Toughness and Stress Corrosion Cracking Characteristics of an Anhydride-Hardened Epoxy Adhesive 641
S. Mostovoy and E. J. Ripling: Effect of Joint Geometry on the Toughness of Epoxy Adhesives 661
M. Nomura, H. Kojima, M. Harada, W. Eguchi, and S. Nagata: Continuous Flow Operation in Emulsion Polymerization of Styrene 675
J. M. Lederman: The Prediction of the Tensile Properties of Flexible Foams 693
H. Ohya and S. Sourirajan: Determination of Concentration Changes on Membrane Surface as Function of Time During Evaporation of Reverse-Osmosis Film Casting Solutions 705
J. V. Duffy: Pyrolysis of Treated Rayon Fiber 715
J. Fellers and A. Golovoy: A Structure–Property Rationalization of Some Poly(carboxyl–Epoxy) Thermosets 731
J. O. Osburn, K. Kammermeyer, and R. Laine: Vapor Permeabilities by Dynamic Sorption 739
T. Nakagawa, H. B. Hopfenberg, and V. Stannett: Radiation Protection of Poly(Vinyl Chloride) by N-Methyl Dithiocarbamate Substitution 747

Notes

J. E. Sinclair, J. W. Edgemond, J. K. Pringle, and R. W. Helliwell: Difffraction Studies of Polyethylene and Polypropylene Creep Specimens 759

Information for Contributors 767

Issue No. 4, April

J. N. Chakravorty: Light Scattering Properties of Acacia Catechuic Acid. Effects of Urea and Temperature 769
S. Katayama, H. Horikawa, Y. Ito, N. Gomyo, and Y. Obuchi: Synthesis of Alternating Polyamideurethans by Reacting Diisocyanates with N,N′-Di(6-hydroxycaproyl)alkenylenediamines and N-Hydroxyalkyl-6-hydroxycaproamide 775
S. B. Sachs and H. K. Lonsdale: Preparation and Properties of Poly(acrylic Acid) Composite Membranes 797
H. Strathmann, P. Scheible, and R. W. Baker: A Rationale for the Preparation of Loeb-Sourirajan-Type Cellulose Acetate Membranes 811
M. Nisizawa: Environmental Stress Relaxation Studies of Polymers: Effect of Temperature on Polyethylene–Alcohol System. 829
F. A. Wodley: Pyrolysis Products of Untreated and Flame Retardant-Treated α-Glucose and Levoglucosan 835
G. F. Hardy: Fracture Toughness of Glass Fiber-Reinforced Acetal Polymer 853
W. N. Maclay: The Mechanism of Extender Action by Potassium Persulfate in the Suspension Polymerization of Styrene 867
W. R. Carradine, Jr., and H. F. Rase: Effect of Surface Characteristics on Polymer Growth on Titanium Trichloride Catalyst. 889
E. Oikawa and H. Tatsuishi: Polymers Containing the *s*-Triazine Ring. II. Synthesis of Poly(*s*-triazinylenehydrazones) 913
A. Nakano and Y. Minoura: Degradation of Polymers by High-Speed Stirring 927
H. Alaminov and Z. Proynova: Study of the Oligoester Maleinates Containing an Isocyanuric Ring by Infrared Spectroscopy 937
C. W. Stewart, Sr., and J. J. Verbanc: The Effects of Varying the Polymer Composition on the Cut Growth Characteristics of E/P/1,4 HD Tire Teads 949
S. H. Zeronian: A Study of the Fine Structure of Cellulosic Fibers by Level-Off Degree of Polymerization Measurements 955
W. S. Simpson: Deposition of Acrylate Polymers in Wood Fibers ... 967
A. Kobayashi and N. Ohtani: Strain Rate Dependency on Stress-Strain Relations of Polypropylene 975
H. Brody: Intercrystalline Crosslinking of Polyethylene 987
A. Kantouch, A. Hebeish, and M. H. El-Rafie: Graft Copolymerization of Vinyl Monomers on Modified Cottons. II. Grafting of Acrylonitrile and Methyl Methacrylate on Cyanoethylated Cotton by the Ceric Ion Method 1007
E. H. Catsiff: Predicting Joint Sealant Performance of Elastomers by Computer Simulation. III. Simulation of Single- and Multi-Step Extension of a Stress-Relaxing Material 1021

Notes

P. K. Ray: Effect of Moisture on Crystallite Orientation in Cellulose Fibers 1029
J. T. Guthrie, M. B. Huglin, and G. O. Phillips: Isolation of Polystyrene Branches from Grafted Cellulose 1033
R. C. Penwell and R. S. Porter: Viscosity of Polystyrene Near the Glass Transition. Authors' Addition 1037
Information for Contributors 1039

Issue No. 5, May

R. A. Prosser: Protection Against Intense Light. I. Discussion of the Usual Mechanisms of Energy Dissipation 1041
T. Sato: Adsorption of Polyamides and the Stability of Dispersion. 1053
H. Schonhorn, F. W. Ryan, and T. T. Wang: Effects of Symmetrical Bonding Defects on Tensile Shear Strength of Lap Joints Having Ductile Adhesives 1069
J. B. Barr and S. B. Wallon: The Chemistry of Furfuryl Alcohol Resins 1079
C. D. Han: Rheology of Shaped Fiber Formation 1091
M. C. Kirkham: The Influence of Precure Dilation on the Stress–Strain Properties of Ethylene–Propylene Terpolymer Networks 1099
W. C. Jones, III, and A. L. Fricke: Optimization of the Filler Content of Filled Polyester Resin 1109
Y. Ogiwara, K. Igeta, and H. Kubota: Studies on the Ability of Cellulosic Materials to Initiate Graft Copolymerization 1119
S. Singh, O. Hinojosa, and J. C. Arthur, Jr.: ESR Study of Intramolecular Energy Transfer in the Radiolysis of Cellulose Thenoates 1129
M. Kryszewski, A. Galeski, T. Pakula, J. Grebowicz, and P. Milczarek: Supermolecular Structures in Blends of Polypropylene and Ethylene–Propylene Rubber 1139
C. D. Han, T. C. Yu, and K. U. Kim: Rheological Properties of Molten Polymers. I. Homopolymer Systems 1149
C. D. Han and T. C. Yu: Rheological Properties of Molten Polymers. II. Two-Phase Systems 1163
N. Nishida, D. G. Salladay, and J. L. White: Molecular Weight Distribution and Rheological Properties of Polyisobutylene Solutions 1181
F. P. Chlanda and L. G. Donaruma: A Novel Method for Preparing Poly(alkyl Methacrylates) and Poly(methacrylic Acids) of Varying Tacticity 1195
R. E. Whittaker: The Mechanical Behavior of Microporous Polyurethane Foams 1205
J. R. Dombrowski and L. G. Donaruma: Synthetic Biologically Active Polymers. VI. Sulfonamide- and Sulfone-Dimethylolurea Copolymers 1219

G. A. Mortimer: The Effect of Short-Chain Branch Structure on the Properties of Low-Density Polyethylene 1231
Y. S. Huang and J. L. Koenig: Infrared Studies of Cryogenic Transitions in Poly(ethylene Terephthalate) and Polystyrene .. 1237
S.-A. Chen: Polymer Miscibility in Organic Solvents and in Plasticizers—A Two-Dimensional Approach 1247
R. L. Riley, H. K. Lonsdale, and C. R. Lyons: Composite Membranes for Seawater Desalination by Reverse Osmosis 1267
C. I. Chung: Compressibility of Polyethylene Melts at Low Pressures 1277

Notes

G. K. Layden: Determination of Melting of PAN–MMA Copolymer Fibers by Differential Thermal Analysis 1283
S. L. Levine and H. F. Bell: The Application of Thermogravimetric Analysis to an Electrophoretically Deposited Polymer Coating 1287
Announcement 1293
Information for Contributors 1295

Issue No. 6, June

R. J. Ambrose: Structure–Physical Property Relationships in Peroxide-Cured Butadiene–Styrene Copolymers 1297
R. Liepins and J. Kearney: Thin Water Vapor Barriers for Paper. 1307
R. Pilon, B. Kunst, and S. Sourirajan: Studies on the Development of Improved Reverse Osmosis Membranes from Cellulose Acetate–Acetone–Formamide Casting Solutions 1317
R. L. Jenkins and J. Lister: Cure Behavior of Some Resin–Glass Cloth Systems 1335
S. P. Manik and S. Banerjee: Studies on Sulfur Vulcanization of Natural Rubber Accelerated with Diphenylguanidine both in Presence and Absence of Dicumyl Peroxide 1341
C. Y. Kim and D. A. I. Goring: Surface Morphology of Polyethylene After Treatment in a Corona Discharge 1357
C. Y. Kim, J. Evans, and D. A. I. Goring: Corona-Induced Autohesion of Polyethylene 1365
J. A. Rinde and K. G. Hoge: Time and Temperature Dependence of the Mechanical Properties of Polystyrene Bead Foam 1377
D. S. Varma and H. C. Bhatia: An X-Ray Study of Crystalline Orientation and Mechanical Properties of Swollen Cotton Fibers Using Cadoxen Solution as Swelling Agent 1397
J. Furukawa and A. Nishioka: Mechanical Properties of Alternating Copolymers of Acrylonitrile and Butadiene 1407
L. L. Muller, J. J. Hebert, and M. L. Rollins: Electron-Microscope Investigation of Cerium–Cotton Cellulose Reactions 1425

E. M. Wewerka, E. D. Loughran, and K. L. Walters: A Study of the Low Molecular Weight Components of Furfuryl Alcohol Polymers 1437
K. Nakayama, S. Okajima, and Y. Kobayashi: Visible Dichroism of Polypropylene–Disperse Dye System at High Temperatures. 1453
S. Martin-Löf and Ch. Söremark: An Improved Dilatometer for Polymers Based on Beta-Particle Absorption 1465
J. A. M. Smit, C. J. P. Hoogervorst, and A. J. Staverman: Dispersion in Gel Permeation Chromatography. A Rapid Numerical Solution to Tung's Integral Equation 1479
A. Peterlin and J. L. Williams: Influence of Compacting Pressure on the Permeability of Vectorized Membranes for Liquids 1493
W. Kawakami, T. Wada, T. Watanabe, S. Machi, and T. Kagiya: Effect of Fluid Motion on Radiation-Induced Polymerization of Ethylene in a Tubular Reactor 1507
R. C. Little and M. Wiegard: The Flow of Very Dilute Polyox Solutions into a Region of Sudden Capillary Tube Enlargement 1515
Y. P. Carignan and E. V. Turngren: Deuterium Isotope Effect on the Refractive Index of Liquids and its Application to Permeation Chromatography 1521
R. E. Kesting, K. F. Jackson, and J. M. Newman: Heat-Resistant Polymers Containing the Low Molecular Weight *Closo*-Carboranes. II. Thermal Behavior of Polycarboranesiloxane SiB-1 Elastomers from $C_2B_5H_7$ 1527

Notes

R. A. V. Raff and R. V. Subramanian: Impervious Graphite by Radiation Polymerization of Acrylonitrile in Porous Graphite Followed by Thermal Cyclization 1533
R. A. V. Raff and R. V. Subramanian: Effect of Gamma Radiation on the Adhesion of Metals to Epoxy Resin 1535
D. M. Hall, G. H. Nix, and R. I. Vachon: Effect of Crimp on the Tensile and Compressive Properties of Polyester Fibers 1539
H. J. Harwood and H. J. Harwood, Jr.: Structure of Copolymers Derived from Polymethacrolein by the Cannizzaro Reaction 1545
J. A. Biesenberger, M. Tan, and I. Duvdevani: Recycle Gel Permeation Chromatography. II. Analysis of Epoxy Resins. 1549

Issue No. 7, July

D. R. Paul, V. Mavichak, and D. R. Kemp: Diffusion in Concentrated Polystyrene Solutions 1553
A. Gal, M. Cais, and D. H. Kohn: Organometallic Polymers. II. Crosslinking of Ferrocenylene–Methylene-Type Polymers 1571
L. Nicolais and A. T. DiBenedetto: Failure Criteria for Polymeric Solids 1585

T. D. Varma and M. Sengupta: On the Single-Point Determination of Intrinsic Viscosity 1599
T. Ishige, S.-I. Lee, and A. E. Hamielec: Solution of Tung's Axial Dispersion Equation by Numerical Techniques 1607
R. Reed and J. R. Barlow: The Size Analysis of Polymer Latices by Electron Microscopy Using Freeze-Etched Preparations 1623
E. H. Catsiff: Poly(ethylene sulfide). IV. A. Rheological Method for Determination of "Apparent Molecular Weight" 1641
G. F. Freeguard and M. Karmarkar: The Production of Rubber-Modified Polystyrene. I. Rheological Behavior of the Polymerizing System 1649
G. F. Freeguard and M. Karmarkar: The Production of Rubber-Modified Polystyrene. II. The Significance of Shear in the Phase Inversion 1657
C. E. Lamaze and H. Yasuda: Ionic Reverse Osmosis Membranes of Grafted Polyethylene 1665
G. Kraus: Structure–Concentration Equivalence in Carbon Black Reinforcement of Elastomers. III. Application to Tensile Strength 1679
E. M. Rosen and T. Provder: The Instrument Spreading Correction in GPC. III. The General Shape Function Using Singular Value Decomposition with a Nonlinear Calibration Curve 1687
F. S. Chan: A Moderately High Shear Viscometer for Measuring Low Specific Viscosities 1703
G. K. Layden: Tensile Response of Polyacrylonitrile Fibers During Air Heating 1709
R. A. Jewell: Relative Thermophysical Properties of Some Polyimides 1717
T. R. Fuller and A. L. Fricke: Thermal Conductivity of Polymer Melts 1729
M. J. Wisotsky, A. E. Kober, and I. A. Zlochower: Copolymerization of Ethylene with Vinyl Acetate. I. Effect of Polymerization Temperature on Degree of Branching 1737
N. R. Bertoniere, W. E. Franklin, and S. P. Rowland: Photochemical Reactions of the Substituent Groups of Cotton Cinnamate Fabric 1743
R. S. Lenk: Preparation and Purification of Bisacid A2 (2,2-Diphenylolpropane 4,4-Dioxyacetic Acid). II 1753
C. A. Uraneck and J. E. Burleigh: Modification of Emulsion Polymerization by Multiple Addition of Modifier 1757
S. Krozer: Solubility Parameters and Some Structural Characteristics of Chlorinated Poly(vinyl Chloride) 1769
S. Krozer and B. Schneier: Correlation Between Some Solution and Mechanical Properties of Poly(vinyl Chloride) and Chlorinated Poly(vinyl Chloride) 1777

F. Ide, I. Sasaki, and S. Deguchi: Graft Polymerization of Some Vinyl Monomers onto Acrylic Rubber. I. Chain Transfer and Grafting Reaction 1791

Note

R. C. Progelhof, J. Franey, and T. W. Haas: Absorption Coefficient of Unpigmented Poly(methyl Methacrylate), Polystyrene, Polycarbonate, and Poly(4-methylpentene-1) Sheets.. 1803

Issue No. 8, August

F. Ide, I. Sasaki, and S. Deguchi: Graft Polymerization of Some Vinyl Monomers onto Acrylic Rubber. II. Mechanical Properties of Graft Polymers 1809
K. Satake: Change of Mixing State of Polybutadiene Rubber–Polyolefin Resin Blend by Remilling and Heat Treatment 1819
A. M. Hassan and L. N. Ray, Jr.: Characterization of NBR Networks from Stress–Strain and Swelling Equilibrium Measurements 1837
J. C. Spitsbergen, P. Loewrigkeit, Y. K. Kim, and W. L. Lauzé: Preparation and Properties of a Diaryl Sulfone-Containing Unsaturated Polyester 1851
G. M. Doyle, R. E. Humphreys, and R. M. Russell: The Influence of Chemical Structure on the Dynamic Properties of Sulfur-Vulcanized Carbon Black-Reinforced Natural Rubber.. 1855
H. Yamaguchi and Y. Minoura: Asymmetric Oxidation of Poly(vinyl Sulfides) with Percamphoric Acid, *Aspergillus niger*, and *Penicillium notatum* 1869
J. E. Crawford and D. N. Gray: Preparation and Properties of Some Poly(alpha-olefin Sulfones) 1881
G. F. Fanta, R. C. Burr, C. R. Russell, and C. E. Rist: Graft Copolymers of Starch with Mineral Acid Salts of Dimethylaminoethyl Methacrylate. Preparation and Testing as Flocculating Agents 1889
R. J. Gordon and A. E. Everage, Jr.: Bead-Spring Model of Dilute Polymer Solutions: Continuum Modifications and an Explicit Constitutive Equation 1903
S. M. Kambanis and R. C. Vasishth: NMR Studies of Urea–Formaldehyde Resins 1911
A. Hebeish, A. Kantough, and M. H. El-Rafie: Graft Copolymerization of Vinyl Monomers on Modified Cotton. IV. Ceric-Induced Grafting of Vinyl Monomers on Cellulose Bearing Different Substituents 1921
A. R. Payne and R. E. Whittaker: Influence of Hysteresis on Tensile and Fatigue Failure in Rubbers 1941

T. F. Ballenger and J. L. White: The Development of the Velocity Field in Polymer Melts in a Reservoir Approaching a Capillary Die 1949
Y. Peyser, J. M. Dealy, and M. R. Kamal: Viscous Behavior of Some Liquid Rubber Resins 1963
J. Niezette and V. Desreux: An Automatic Dilatometer for Radiation Polymerizations 1981
G. W. Miller: Thermal Analysis of Polymers. VIII. Dilatometric and Thermal Optimal Behavior of Sulfur 1985
S.-D. Hong and C. M. Burns: Compatibility of Polystyrene and Poly(methyl Methacrylate) in Benzene. Effects of Molecular Weight and Temperature 1995
J. S. Chong, E. B. Christiansen, and A. D. Baer: Rheology of Concentrated Suspensions 2007
H. E. Ries, Jr., and B. L. Meyers: Microelectrophoresis and Electron-Microscope Studies with Polymeric Flocculants 2023
F. E. Arnold and R. L. Van Deusen: Unusual Film-Forming Properties of Aromatic Heterocyclic Ladder Polymers 2035

Notes

G. Salee: Craze Relaxation: A Rapid and Simple Method for Glass Transition Temperature Determination in Amorphous Polymers 2049
T. L. Vigo, D. J. Daigle, and C. H. Mack: Thermal Behavior of Cellulose Imidates: Cellulose Trichloroacetimidate 2051
E. G. Walther: Aerosol Production from Heated Polymers 2059
W. S. Anderson: Light-Induced Cure of Epoxy Resins. Use of a Manganese Carbonyl as Photosensitizer 2063

Issue No. 9, September

T. Yoshikawa, K. Ushimi, K. Kimura, and M. Tamura: The Rapid Identification Method of Additives in Polypropylene by Mass Spectrometry 2065
K. Ghosh and S. K. Mukherjee: Hymatomelanic Acids as Polyelectrolytes. I. Viscometric and Osmometric Studies 2073
V. Duchâček: Kinetics of Sulfur-Free Thiuram Vulcanization 2079
Wm. H. Fischer and J. P. Lodge, Jr.: Particle Production by Polymer Pyrolysis: Effect of Carbon Monoxide 2091
H. E. Holmquist, S. Proskow, and A. L. Barney: Aromatic Rings as Cure Sites for EPM Elastomers 2103
K. Kato: Formation of 2,4-Dinitrophenylhydrazone on Surface Zone of Polystyrene Film Irradiated by Ultraviolet Light. I. Effects on Formation of 2,4-Dinitrophenylhydrazone 2115
W. M. Alvino: Ultraviolet Stability of Polyamides and Polyamide–Imides 2123

S. B. Clough: Melting of Drawn Polyethylene Films 2141
H. Stepniczka and J. DiPietro: Flammability Characteristics of Cotton and Polyester Fibers 2149
D. S. Varma and R. K. Sarkar: A Study of the Thermal Behavior of Graft Copolymers of Wool and Methyl Methacrylate 2173
S. S. Stivala, B. R. Jadrnicek, and L. Reich: The Iron Salt-Catalyzed Autoxidation of Atactic Polypropylene 2185
D. R. Paul and O. M. Ebra-Lima: The Mechanism of Liquid Transport Through Swollen Polymer Membranes 2199
R. S. Lenk: Bisacid A2 (2,2-Diphenylolpropane dioxyacetic acid) as a Constituent of Crosslinked Polyesters 2211
Y. Minoura and H. Ikeda: Hydroboration of Diene Polymers 2219
M. A. Kasem, H. R. Richards, and C. C. Walker: Preparation and Characterization of Phosphorus-Nitrogen Polymers for Flameproofing Cellulose. I. Polymers of THPC and Amines. 2237
A. J. Nanassy and R. L. Desai: ESR Studies on the Effect of Lignin and Gases on UV Photodegradation of Cellulose 2245
S. G. Shenouda and A. Viswanathan: Crystalline Character of Native and Chemically Treated Egyptian Cottons. I. Computation of Crystallinity, Disorder Parameter, Orientation Factor, and Spiral Angle 2259
H. Yasuda and C. E. Lamaze: Polymerization of Styrene in an Electrodeless Glow Discharge 2277
A. R. Cooper and J. F. Johnson: Gel Permeation Chromatography: The Effect of Pore Size Distribution on Separation Efficiency .. 2293
R. J. Wasley, E. J. Nidick, Jr., R. H. Valentine, and K. G. Hoge: Shock Pulse Mitigation in Various Organic Foams 2303

Note

L. H. Sperling and R. R. Arnts: Simultaneous Interpenetrating Networks 2317

Issue No. 10, October

G. Braun: GPC Calibration for Polymers of Unknown Composition and Structure Using a Real-Time Computer 2321
G. W. Miller: Thermal Analyses of Polymers. VII. Calorimetric and Dilatometric Aspects of the Glass Transition 2335
T. Mares, O. Hinojosa, Y. Nakamura, and J. C. Arthur, Jr.: Cellulose Graft Copolymers. IV. Graft Copolymerization of Methacrylonitrile with γ-Irradiated Cellulose from DMSO–, Acetone–, and Methanol–Water Systems 2349
G. Butters and G. Roberts: Some Aspects of PVC Paste Rheology 2357
N. Hata and J. Kumanotani: Viscoelastic Properties of Epoxy Resin. I. Effect of Prepolymer Structure on Viscoelastic Properties 2371

D. M. Schwaber and E. A. Meinecke: Energy Absorption in Polymeric Foams. II. Prediction of Impact Behavior from Instron Data for Foams with Rate-Dependent Modulus..... 2381
D. Acierno, J. N. Dalton, J. M. Rodriguez, and J. L. White: Rheological and Heat Transfer Aspects of the Melt Spinning of Monofilament Fibers of Polyethylene and Polystyrene..... 2395
H. L. Hsieh and R. F. Wright: Properties of Poly(Alkylene Oxide) Elastomers..... 2417
H. L. Hsieh: Polymerization of Alkylene Oxides with Trialkylaluminum, Metal Acetylacetonates, and Water..... 2425
B. L. Funt and V. Hornof: An Approach to a Simplified Universal Calibration for Gel Permeation Chromatography..... 2439
V. Heidingsfeld, J. Zelinger, and V. Kuška: The Secondary Relaxation Process of Poly(vinyl Chloride) and its Derivatives. 2447
T. Kusano, Y. Suzuki, and K. Murakami: Chemorheological Study of Vulcanized Rubbers under Mechanical Stress..... 2453
D. A. Jones and W. A. Jordan: Starch Graft Polymers. I. Graft Co- and Terpolymers of Starch, with 2-Hydroxy-3-methacryloyloxypropyl-trimethylammonium Chloride and Acrylamide: Preparation and Evaluation as Silica Depressants..... 2461
A. Y. Coran, K. Boustany, and P. Hamed: Unidirectional Fiber–Polymer Composites: Swelling and Modulus Anisotropy..... 2471
C. Garbuglio, G. Ajroldi, T. Casiraghi, and G. Vittadini: Relationships between Mechanical Properties and Relaxation Processes in Polymers. Nylon 6..... 2487
T. Yoshikawa, K. Kimura, and S. Fujimura: The Gel Permeation Chromatography of Phenolic Compounds..... 2513
W. M. Alvino: Aging Behavior of Polyarylsulfone Films..... 2521
M. Sufčák: Effects of Monomer Impurities on the Emulsion Polymerization of Chloroprene and Properties of Polychloroprene. III. Effect of Divinylacetylene..... 2539
M. Sufčák: Effects of Monomer Impurities on the Emulsion Polymerization of Chloroprene and Properties of Polychloroprene. IV. Effect of 1-Chloro-1,3-butadiene..... 2547
M. Sufčák: Effects of Monomer Impurities on the Emulsion Polymerization of Chloroprene and Properties of Polychloroprene. V. Effect of 1,3-Dichloro-2-Butene..... 2555
H. L. Needles: The Graft Photopolymerization of Acrylates and Methacrylates on Wool in Dimethyl Sulfoxide..... 2559
C. D. Han: Measurement of the Rheological Properties of Polymer Melts with Slit Rheometer. I. Homopolymer Systems..... 2567
C. D. Han: Measurement of the Rheological Properties of Polymer Melts with Slit Rheometer. II. Blend Systems..... 2579
C. D. Han: Measurement of the Rheological Properties of Polymer Melts with Slit Rheometer. III. Two-Phase Systems—High-Impact Polystyrene and ABS Resin..... 2591

Notes

A. Viswanathan and S. G. Shenouda: On the Hydrogen Bonds in the Helical Structure Proposed for Cellulose I 2597
J. Banbaji: A Note on the Compressibility of Wool and its Relationship with Crimp 2601
Information for Contributors 2607

Issue No. 11, November

B. M. Culbertson and N. A. Randen: Aminimides. XI. Modified Polystyrenes Containing Pendent Aminimide or Isocyanate Residues 2609
P. Peyser and R. C. Little: The Drag Reduction of Dilute Polymer Solutions as a Function of Solvent Power, Viscosity, and Temperature 2623
A. Ram and J. Miltz: New Method for MWD Determination in Branched Polymers 2639
R. E. Kesting, K. F. Jackson, and J. M. Newman: Heat-Resistant Polymers Containing the Low Molecular Weight *closo*-Carboranes. III. The Preparation of Polycarboranesiloxane Polymers by Alcoholysis 2645
G. F. Fanta, R. C. Burr, W. M. Doane, and C. R. Russell: Influence of Starch Granule Swelling on Graft Copolymer Composition. A Comparison of Monomers 2651
D. S. Campbell: Structural Characterization of Vulcanizates. XII. Efficient Vulcanization Using a Sulfenamide-Thiuram Disulfide Accelerator System 2661
U. H. Gibson and Q. Quick: The Determination of Adjacent Oxypropylene-Oxyethylene Units in Propylene Oxide-Ethylene Oxide Adducts by Infrared Spectroscopy 2667
B. R. Jadrnicek, S. S. Stivala, and L. Reich: Effect of Concentration of Atactic Polypropylene on its Rate of Autoxidation 2677
M. Kryszewski and M. Mucha: Glass Transition Phenomenon in Vinylidene Chloride–Acrylonitrile Copolymers 2687
C. J. Heffelfinger and E. L. Lippert, Jr.: X-Ray Low-Angle Scattering from Oriented Poly(ethylene Terephthalate) Films .. 2699
A. Hebeish, A. Bendak, and A. Kantouch: Grafting of Wool with Vinyl Monomers by Using Trichloroacetic Acid–Bis(Acetonylacetonato)Copper(II) Cocatalyst 2733
J. H. Elliott and F. S. Stow, Jr.: Solutions of Drag-Reducing Polymers—Diameter Effect and Rheological Properties 2743
C. E. Warburton, Jr., and A. T. Schindler: Morphology of Fabric Finishes Consisting of Acrylic Soil Release Polymers and Durable Press Reagents 2749
H. Kubota and Y. Ogiwara: Effect of Wavelength Region on Photo-Induced Graft Copolymerization onto Cellulose 2767

K. Satake, K. Shinki, T. Teraoka, and S. Ibe: Changes in Mixing States of Styrene–Butadiene Copolymer Rubber and General-Purpose Polystyrene Resin Mill Blend by Heat Treatment.... 2775
N. J. Mills: The Rheology of Filled Polymers..... 2791
K. Satake, K. Shinki, T. Teraoka, and S. Ibe: Softening Phenomenon by Remilling of Styrene–Butadiene Copolymer Rubber–General-Purpose Polystyrene Resin Blend..... 2807
E. L. Johnson: The Effects of Reaction Temperature and Hydrolysis on Polyamic Acids and Polyimides..... 2825
H. Yasuda and L. D. Ikenberry: Permeabilities of Coagulated Cellulose Acetate Dialysis Membranes..... 2841
C. Cozewith: Calculation of Molecular Weight for Polymers Produced in Continuous-Flow Stirred Reactors..... 2855
I. A. Aby-Isa: Iodine Treatment of Nylon: Effect on Metal Plating of the Polymer..... 2865

Note

G. W. Schael: Refractometric Determination of the Stoichiometry of Reacting Polymer Systems..... 2877

Issue No. 12, December

A. Rudin and I. Benschop-Hendrychova: Measurement of Molecular Weight of Poly(vinyl Chloride)..... 2881
T. Matsuura and S. Sourirajan: Physicochemical Criteria for Reverse Osmosis Separation of Alcohols, Phenols, and Monocarboxylic Acids in Aqueous Solutions Using Porous Cellulose Acetate Membranes..... 2905
R. B. Phillips, W. Brown, and V. T. Stannett: The Graft Copolymerization of Styrene and Lignin. I. Hydrochloric Acid Lignin..... 2929
J. P. Consaga and D. M. French: Properties of Hydroxyl-Terminated Polybutadiene-Urethane Systems..... 2941
R. Liepins and H. Yasuda: Barrier Coatings on Cellulose Fiber Mat..... 2957
R. DeIasi and J. Russell: Aqueous Degradation of Polyimides... 2965
D. H. Fisher and F. Rodriguez: Degradation of Drag-Reducing Polymers..... 2975
W. Oraby, H. B. Hopfenberg, and V. Stannett: Radiation Grafting of Vinyl Monomers Onto Wood Pulp Cellulose. Part I.... 2987
J. L. Bose, E. J. Roberts, and S. P. Rowland: The Availability of Hydroxyl Groups in Native and Mercerized Cotton Cellulose 2999
A. Kobayashi, N. Ohtani, and S. Ino: On Creep Test Loading for Soft Polymers..... 3009
M. O. Weaver, L. A. Gugliemelli, W. M. Doane, and C. R. Russell: Hydrolyzed Starch–Polyacrylonitrile Graft Copolymers: Effect of Structure on Properties..... 3015

P. E. Ingham: The Pyrolysis of Wood and the Action of Flame Retardants 3025
E. R. Wagner and R. J. Cotter: Ultrasonic Degradation of the Gel Phase in Impact Polystyrenes 3043
A. J. Papa and W. R. Proops: Cationic Copolymerization of 1,3-Dioxolanes and 1,3-Dioxanes with 3,4-Dihydro-2*H*-pyran-2-methyl(3,4-dihydro-2*H*-pyran-2-carboxylate). Nonfriable Pyranyl Foams 3053
P. Eyerer: Reaktionsverlauf während der Härtung eines Epoxidharzes mit Dizyandiamid 3067
N. Nakajima: Fractionation of Linear Polyethylene with Gel Permeation Chromatography. IV 3089
E. F. Cuddihy: Fatigue of Teflon Bladder Materials 3101
B. K. Daniels: Tensile Deformation of Nylon 66 Fibers at −196°C 3109
R. C. Little: The Effect of Added Salt on the Flow of Highly Dilute Solutions of Poly(ethylene Oxide) Polymers 3117
A. Peterlin: Vapor and Gas Permeability of Asymmetric Membranes 2127
Y. Ogiwara and H. Kubota: NMR Study of Water Adsorbed on Methyl Methacrylate-Grafted Cellulose 3137

Author Index 3145

Subject Index 3155

Volume Title Page i

Volume Contents iii